

Network Working Group
Request for Comments: 739
NIC: 42341

J. Postel
USC-ISI
11 November 1977

ASSIGNED NUMBERS

This Network Working Group Request for Comments documents the currently assigned values from several series of numbers used in network protocol implementations. This RFC will be updated periodically, and in any case current information can be obtained from Jon Postel. The assignment of numbers is also handled by Jon. If you are developing a protocol or application that will require the use of a link, socket, etc. please contact Jon to receive a number assignment.

Jon Postel
USC - Information Sciences Institute
4676 Admiralty Way
Marina del Rey, California 90291

phone: (213) 822-1511

ARPANET mail: POSTEL@ISIB

Most of the protocols mentioned here are documented in the RFC series of notes. The more prominent and more generally used are documented in the Protocol Handbook [1] prepared by the Network Information Center (NIC). In the lists that follow a bracketed number, e.g. [1], off to the right of the page indicates a reference to the protocol assigned that number.

ASSIGNED LINK NUMBERS

The word "link" here refers to a field in the original ARPANET Host/IMP interface leader. The link was originally defined as an 8 bit field. Some time after the ARPANET Host-to-Host (AHHP) protocol was defined and, by now, some time ago the definition of this field was changed to "Message-ID" and the length to 12 bits. The name link now refers to the high order 8 bits of this 12 bit message-id field. The low order 4 bits of the message-id field are to be zero unless specifically specified otherwise for the particular protocol used on that link. The Host/IMP interface is defined in BBN report 1822 [2].

Link Assignments:

| Decimal | Octal | Description | References |
|---------|---------|----------------------------|------------|
| ----- | ----- | ----- | ----- |
| 0 | 0 | AHHP Control Messages | [1,3] |
| 1 | 1 | Reserved | |
| 2-71 | 2-107 | AHHP Regular Messages | [1,3] |
| 72-151 | 110-227 | Reserved | |
| 152 | 230 | PARC Universal Protocol | |
| 153 | 231 | TIP Status Reporting | |
| 154 | 232 | TIP Accounting | |
| 155-158 | 233-236 | Internet Protocol | [35,36] |
| 159-191 | 237-277 | Measurements | [28] |
| 192-195 | 300-303 | Message Switching Protocol | [4,5] |
| 196-255 | 304-377 | Experimental Protocols | |

ASSIGNED SOCKET NUMBERS

Sockets are used in the AHHP [1,3] to name the ends of logical connections which carry long term conversations. For the purpose of providing services to all callers an Initial Connection Procedure ICP [1,34] is used between the user process and the server process. This list specifies the socket used by the server process as its contact socket.

Socket Assignments:

General Assignments:

| Decimal | Octal | Description |
|---------|---------|--------------------------------|
| ----- | ----- | ----- |
| 0-63 | 0-77 | Network Wide Standard Function |
| 64-127 | 100-177 | Hosts Specific Functions |
| 128-223 | 200-337 | Reserved for Future Use |
| 224-255 | 340-377 | Any Experimental Function |

Specific Assignments:

| Decimal ----- | Octal ----- | Description ----- | References ----- |
|----------------------------|----------------|--------------------------------|---------------------|
| Network Standard Functions | | | |
| 1 | 1 | Old Telnet | [6] |
| 3 | 3 | Old File Transfer | [7,8,9] |
| 5 | 5 | Remote Job Entry | [10] |
| 7 | 7 | Echo | [11] |
| 9 | 11 | Discard | [12] |
| 11 | 13 | Who is on or SYSTAT | |
| 13 | 15 | Date and Time | |
| 15 | 17 | Who is up or NETSTAT | |
| 17 | 21 | Short Text Message | |
| 19 | 23 | Character generator or TTYTST | [13] |
| 21 | 25 | New File Transfer | [1,14,15] |
| 23 | 27 | New Telnet | [1,16,17] |
| 25 | 31 | Distributed Programming System | [18,19] |
| 27 | 33 | NSW User System w/COMPASS FE | [20] |
| 29 | 35 | MSG-3 ICP | [21] |
| 31 | 37 | MSG-3 Authentication | [21] |
| 33 | 41 | DPS ICP | [18,19] |
| 35 | 43 | IO Station Spooler | |
| 37 | 45 | Time Server | [22] |
| 39 | 47 | NSW User System w/SRI FE | [20] |
| Host Specific Functions | | | |
| 65 | 101 | Speech Data Base at LL-TX-2 | [23] |
| 67 | 103 | Datacomputer at CCA | [24] |
| 69 | 105 | CPYNET | |
| 71 | 107 | NETRJS (EBCDIC) at UCLA-CCN | [25] |
| 73 | 111 | NETRJS (ASCII) at UCLA-CCN | [25] |
| 75 | 113 | NETRJS (TTY) at UCLA-CCN | [25] |
| 77 | 115 | any private RJE server | |
| 79 | 117 | Finger | |
| 81 | 121 | Network BSYS | |
| 95 | 137 | SUPDUP | [33] |
| Experimental Functions | | | |
| 229 | 345 | Garlick's Debugger | |
| 232-237 | 350-355 | Authorized Mailer at BBN | |
| 239 | 357 | Graphics | [1,26] |
| 241 | 361 | NCP Measurement | [27,28] |
| 243 | 363 | Survey Measurement | [28,29,30] |
| 245 | 365 | LINK | [31] |
| 247 | 367 | TIPSRV | |
| 249-255 | 371-377 | RSEXEC | [31,32] |

ASSIGNED NETWORK NUMBERS

This list of network numbers is used in the internetwork protocols now under development, the field is 8 bits in size.

Assigned Network Numbers

| Decimal | Octal | Network |
|---------|--------|--------------------------------------|
| ----- | ----- | ----- |
| 0 | 0 | Reserved |
| 1 | 1 | BBN Packet Radio Network |
| 2 | 2 | SF Bay Area Packet Radio Network (1) |
| 3 | 3 | BBN RCC Network |
| 4 | 4 | Atlantic Satellite Network |
| 5 | 5 | Washington D.C. Packet Radio Network |
| 6 | 6 | SF Bay Area Packet Radio Network (2) |
| 7-9 | 7-11 | Not assigned |
| 10 | 12 | ARPANET |
| 11 | 13 | University College London Network |
| 12 | 14 | CYCLADES |
| 13 | 15 | National Physical Laboratory |
| 14 | 16 | TELENET |
| 15 | 17 | British Post Office EPSS |
| 16 | 20 | DATAPAC |
| 17 | 21 | TRANSPAC |
| 18 | 22 | LCS Network |
| 19 | 23 | TYMNET |
| 20-254 | 24-376 | Unassigned |
| 255 | 377 | Reserved |

ASSIGNED INTERNET MESSAGE VERSIONS

In the internetwork protocols there is a field to identify the version of the internetwork general protocol. This field is 4 bits in size.

Assigned Internet Message Versions

| Decimal | Octal | Version | References |
|---------|-------|------------|------------|
| ----- | ----- | ----- | ----- |
| 0 | 0 | Old | [35] |
| 1 | 1 | Current | [36] |
| 2-14 | 2-16 | Unassigned | |
| 15 | 17 | Reserved | |

ASSIGNED INTERNET MESSAGE FORMATS

In the internetwork protocols there is a field to identify the format of the host level specific protocol. This field is 8 bits in size.

Assigned Internet Message Formats

| Decimal | Octal | Format | References |
|---------|-------|--------------|------------|
| ----- | ----- | ----- | ----- |
| 0 | 0 | Reserved | |
| 1 | 1 | raw internet | |
| 2 | 2 | TCP-3 | [36] |
| 3 | 3 | DSP | [37,38] |
| 2-254 | 2-376 | Unassigned | |
| 255 | 377 | Reserved | |

ASSIGNED INTERNET MESSAGE TYPES

In the internetwork old protocol there is a field to identify the type of the message. This field is 4 bits in size.

Assigned Internet Message Types

| Decimal | Octal | Type |
|---------|-------|-------------|
| ----- | ----- | ---- |
| 0 | 0 | Escape |
| 1 | 1 | TCP-2 |
| 2 | 2 | Secure |
| 3 | 3 | Gateway |
| 4 | 4 | Measurement |
| 5 | 5 | DSP |
| 6 | 6 | UCL |
| 7-12 | 7-14 | Reserved |
| 13 | 15 | Pluribus |
| 14 | 16 | Telenet |
| 15 | 17 | Xnet |

REFERENCES

- [1] Feinler, E. "ARPANET Protocol Handbook," NIC 7104, Defense Communications Agency, 1 April 1976.
- [2] BBN, "Specifications for the Interconnection of a Host and an IMP," Report 1822, Bolt Beranek and Newman, Cambridge, Massachusetts, January 1976.
- [3] McKenzie, A. "Host/Host Protocol for the ARPA Network," NIC 8246, January 1972.
- [4] Walden, D. "A System for Interrprocess Communication in a Resource Sharing Computer Network," RFC 62, NIC 4962, 3-Aug-70. Also published in Communications of the ACM volume 15, number 4, April 1972.
- [5] Bressler, B. "A Proposed Experiment with a Message Switching Protocol," RFC 333, NIC 9926, 15-May-72.
- [6] Postel, J. "Telnet Protocol," RFC 318, NIC 9348, 3-April-72.
- [7] McKenzie, A. "File Transfer Protocol," NIC 14333, RFC 454, 16-Feb-73.
- [8] Clements, R. "FTPSRV -- Extensions for Tenex Paged Files," RFC 683, NIC 32251, 3-April-75.
- [9] Harvey, B. "One More Try on the FTP," RFC 691, NIC 32700, 6-Jun-75.
- [10] Bressler, B. "Remote Job Entry Protocol," RFC 407, NIC 12112, 16-Oct-72.
- [11] Postel, J. "Echo Process," RFC 347, NIC 10426, 30-May-72.
- [12] Postel, J. "Discard Process," RFC 348, NIC 10427, 30-May-72.
- [13] Postel, J. "Character Generator Process," RFC 429, NIC 13281, 12-Dec-72.
- [14] Neigus, N. "File Transfer Protocol," NIC 17759 RFC 542 12-July-73.
- [15] Postel, J. "Revised FTP Reply Codes," NIC 30843 RFC 640 5-June-74.

- [16] McKenzie, A. "Telnet Protocol Specifications," NIC 18639, August 1973.
- [17] McKenzie, A. "Telnet Option Specification," NIC 18640, August 1973.
- [18] White, J. "A High Level Framework for Network-Based Resource Sharing," RFC 707, NIC 34263, 14 January 1976. Also in NCC Proceedings, AFIPS, June 1976.
- [19] White, J. "Elements of a Distributed Programming System," RFC 708, NIC 34353, 28 January 1976.
- [20] COMPASS. "Semi-Annual Technical Report," CADD-7603-0411, Massachusetts Computer Associates, 4 March 1976. Also as, "National Software Works, Status Report No. 1," RADC-TR-76-276, Volume 1, September 1976. and COMPASS. "Second Semi-Annual Report," CADD-7608-1611, Massachusetts Computer Associates, 16 August 1976.
- [21] NSW Protocol Committee, "MSG: The Interprocess Communication Facility for the National Software Works," CADD-7612-2411, Massachusetts Computer Associates, BBN 3237, Bolt Beranek and Newman, Revised 24 December 1976.
- [22] Harrenstien, K. "Time Server," RFC 738, NIC 42218, 31-Oct-77.
- [23] Armenti, A., D. Hall, and A. Stone. "Lincoln Speech Data Facility," SUR Note 37, NIC 10917, 14 July 1972.
- [24] CCA, "Datacomputer Version 1 User Manual," Computer Corporation of America, August 1975.
- [25] Braden, R. "Interim NETRJS Specification," RFC 189, NIC 7133, 15-July-71.
- [26] Sproull, R, and E. Thomas. "A Networks Graphics Protocol," NIC 24308, 16-Aug-74.
- [27] Cerf, V., "NCP Statistics," RFC 388, NIC 11360, 23 August 1972.
- [28] Cerf, V., "Formation of a Network Measurement Group (NMG)," RFC 323, NIC 9630, 23 March 1972.

- [29] Bhushan, A., "A Report on the Survey Project," RFC 530, NIC 17375, 22 June 1973.
- [30] Cantor, D., "Storing Network Survey Data at the Datacomputer," RFC 565, NIC 18777, 28 August 1973.
- [31] Bressler, R., "Inter-Entity Communication -- An Experiment," RFC 441, NIC 13773, 19 January 1973.
- [32] Thomas, R. "A Resource Sharing Executive for the ARPANET," AFIPS Conference Proceedings, 42:155-163, NCC, 1973.
- [33] Crispin, M. "SUPDUP Protocol," RFC 734, NIC 41953, 7 October 1977.
- [34] Postel, J. "Official Initial Connection Protocol," NIC 7101, 11 June 1971.
- [35] Cerf, V. "Specification of Internet Transmission Control Program -- TCP (version 2)," March 1977.
- [36] Cerf, V. and J. Postel, "Specification of Internet Transmission Control Program -- TCP-3," November 1977.
- [37] Reed, D. "Protocols for the LCS Network," Local Network Note 3, Laboratory for Computer Science, MIT, 29 November 1976.
- [38] Clark, D. "Revision of DSP Specification," Local Network Note 9, Laboratory for Computer Science, MIT, 17 June 1977.