

Network Working Group
Request for Comments: 960

J. Reynolds
J. Postel
ISI
December 1985

Obsoletes RFCs: 943, 923, 900, 870,
820, 790, 776, 770, 762, 758,
755, 750, 739, 604, 503, 433, 349
Obsoletes IENS: 127, 117, 93

ASSIGNED NUMBERS

Status of this Memo

This memo is an official status report on the numbers used in protocols in the ARPA-Internet community. Distribution of this memo is unlimited.

Introduction

This Network Working Group Request for Comments documents the currently assigned values from several series of numbers used in network protocol implementations. This RFC will be updated periodically, and in any case current information can be obtained from Joyce Reynolds. The assignment of numbers is also handled by Joyce. If you are developing a protocol or application that will require the use of a link, socket, port, protocol, network number, etc., please contact Joyce to receive a number assignment.

Joyce Reynolds
USC - Information Sciences Institute
4676 Admiralty Way
Marina del Rey, California 90292-6695

Phone: (213) 822-1511

ARPA mail: JKREYNOLDS@USC-ISIB.ARPA

Most of the protocols mentioned here are documented in the RFC series of notes. The more prominent and more generally used are documented in the "Internet Protocol Transition Workbook" [39] or in the old "ARPANET Protocol Handbook" [40] prepared by the NIC. Some of the items listed are undocumented. Further information on protocols can be found in the memo "Official ARPA-Internet Protocols" [104].

In all cases the name and mailbox of the responsible individual is indicated. In the lists that follow, a bracketed entry, e.g., [nn,iii], at the right hand margin of the page indicates a reference for the listed protocol, where the number ("nn") cites the document and the letters ("iii") cites the person. Whenever possible, the letters are a NIC Ident as used in the WHOIS service.

The network numbers listed here are used as internet addresses by the Internet Protocol (IP) [39,92]. The IP uses a 32-bit address field and divides that address into a network part and a "rest" or local address part. The division takes 3 forms or classes.

[illegible]

The second type of address, class B, has a 14-bit network number and a 16-bit local address. The two highest-order bits are set to 1-0. This allows 16,384 class B networks.

[illegible]

The third type of address, class C, has a 21-bit network number and a 8-bit local address. The three highest-order bits are set to 1-1-0. This allows 2,097,152 class C networks.

```

      1                               2                               3
0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+
|1 1 0|                                     NETWORK                | Local Address |
+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+--+

```

Note: No addresses are allowed with the three highest-order bits set to 1-1-1. These addresses (sometimes called "class D") are reserved.

One commonly used notation for internet host addresses divides the 32-bit address into four 8-bit fields and specifies the value of each field as a decimal number with the fields separated by periods. This is called the "dotted decimal" notation. For example, the internet address of USC-ISIB.ARPA in dotted decimal is 010.003.000.052, or 10.3.0.52.

The dotted decimal notation will be used in the listing of assigned network numbers. The class A networks will have nnn.rrr.rrr.rrr, the class B networks will have nnn.nnn.rrr.rrr, and the class C networks will have nnn.nnn.nnn.rrr, where nnn represents part or all of a network number and rrr represents part or all of a local address.

There are four categories of users of Internet Addresses: Research, Defense, Government (Non-Defense), and Commercial. To reflect the allocation of network identifiers among the categories, a one-character code is placed to the left of the network number: R for Research, D for Defense, G for Government, and C for Commercial (see Appendix A for further details on this division of the network identification).

Network numbers are assigned for networks that are connected to the ARPA-Internet and DDN-Internet, and for independent networks that use the IP family protocols (these are usually commercial). These independent networks are marked with an asterisk preceding the number.

The administrators of independent networks must apply separately for permission to interconnect their network with either the ARPA-Internet or the DDN-Internet. Independent networks should not be listed in the working tables of either the ARPA-Internet or DDN-Internet hosts or gateways.

For various reasons, the assigned numbers of networks are sometimes changed. To ease the transition the old number will be listed for a transition period as well. These "old number" entries will be marked with a "T" following the number and preceding the name, and the network name will be suffixed "-TEMP".

Special Addresses:

In certain contexts, it is useful to have fixed addresses with functional significance rather than as identifiers of specific hosts. When such usage is called for, the address zero is to be interpreted as meaning "this", as in "this network". The address of all ones are to be interpreted as meaning "all", as in "all hosts". For example, the address 128.9.255.255 could be

interpreted as meaning all hosts on the network 128.9. Or, the address 0.0.0.37 could be interpreted as meaning host 37 on this network.

Assigned Network Numbers

Class A Networks

* Internet Address	Name	Network	References
-----	----	-----	-----
000.rrr.rrr.rrr		Reserved	[JBP]
R 004.rrr.rrr.rrr	SATNET	Atlantic Satellite Network	[SHB]
D 006.rrr.rrr.rrr	T YPG-NET-TEMP	Yuma Proving Grounds	[10,BXA]
D 007.rrr.rrr.rrr	T EDN-TEMP	DCEC EDN	[EC5]
R 008.rrr.rrr.rrr	T BBN-NET-TEMP	BBN Network	[JSG5]
R 010.rrr.rrr.rrr	ARPANET	ARPANET	[10,40,SA2]
D 011.rrr.rrr.rrr	DODIIS	DoD INTEL INFO SYS	[AY7]
C 012.rrr.rrr.rrr	ATT	ATT, Bell Labs	[MH12]
C 014.rrr.rrr.rrr	PDN	Public Data Network	[REK4]
R 018.rrr.rrr.rrr	T MIT-TEMP	MIT Network	[20,103,DDC1]
D 021.rrr.rrr.rrr	DDN-RVN	DDN-RVN	[MLC]
D 022.rrr.rrr.rrr	DISNET	DISNET	[FLM2]
D 023.rrr.rrr.rrr	DDN-TC-NET	DDN-TestCell-Network	[DH17]
D 024.rrr.rrr.rrr	MINET	MINET	[10,DHH]
R 025.rrr.rrr.rrr	RSRE-EXP	RSRE	[RNM1]
D 026.rrr.rrr.rrr	MILNET	MILNET	[FLM2]
R 027.rrr.rrr.rrr	T NOSC-LCCN-TEMP	NOSC / LCCN	[RH6]
R 028.rrr.rrr.rrr	WIDEBAND	Wide Band Satellite Net	[CJW2]
D 029.rrr.rrr.rrr	T MILX25-TEMP	MILNET X.25 Temp	[MLC]
D 030.rrr.rrr.rrr	T ARPAX25-TEMP	ARPA X.25 Temp	[MLC]
G*031.rrr.rrr.rrr	UCDLA-NET	UCDLA-CATALOG-NET	[CXL]
R 032.rrr.rrr.rrr	UCL-TAC	UCL TAC	[PK]
R 036.rrr.rrr.rrr	T SU-NET-TEMP	Stanford University Network	[PA5]
R 039.rrr.rrr.rrr	T SRINET-TEMP	SRI Local Network	[GEOF]
R 041.rrr.rrr.rrr	BBN-TEST-A	BBN-GATE-TEST-A	[RH6]
R 044.rrr.rrr.rrr	AMPRNET	Amateur Radio Experiment Net	[HM]
001.rrr.rrr.rrr-003.rrr.rrr.rrr		Unassigned	[JBP]
005.rrr.rrr.rrr		Unassigned	[JBP]
009.rrr.rrr.rrr		Unassigned	[JBP]
013.rrr.rrr.rrr		Unassigned	[JBP]
015.rrr.rrr.rrr-017.rrr.rrr.rrr		Unassigned	[JBP]
019.rrr.rrr.rrr-020.rrr.rrr.rrr		Unassigned	[JBP]
033.rrr.rrr.rrr-035.rrr.rrr.rrr		Unassigned	[JBP]
037.rrr.rrr.rrr-038.rrr.rrr.rrr		Unassigned	[JBP]
040.rrr.rrr.rrr		Unassigned	[JBP]
042.rrr.rrr.rrr-043.rrr.rrr.rrr		Unassigned	[JBP]
045.rrr.rrr.rrr-126.rrr.rrr.rrr		Unassigned	[JBP]
127.rrr.rrr.rrr		Reserved	[JBP]

Class B Networks

* Internet Address	Name	Network	References
- - - - -	- - - - -	- - - - -	- - - - -
128.000.rrr.rrr		Reserved	[JBP]
R 128.001.rrr.rrr	BBN-TEST-B	BBN-GATE-TEST-B	[RH6]
R 128.002.rrr.rrr	CMU-NET	CMU-Ethernet	[HDW2]
R 128.003.rrr.rrr	LBL-CSAM	LBL-CSAM-RESEARCH	[JS38]
R 128.004.rrr.rrr	DCNET	LINKABIT DCNET	[69,DLM1]
R 128.005.rrr.rrr	FORDNET	FORD DCNET	[69,DLM1]
R 128.006.rrr.rrr	RUTGERS	RUTGERS	[CLH3]
R 128.007.rrr.rrr	DFVLR	DFVLR DCNET Network	[HDC1]
R 128.008.rrr.rrr	UMDNET	Univ of Maryland DCNET	[69,DLM1]
R 128.009.rrr.rrr	ISI-NET	USC-ISI Local Network	[CMR]
R 128.010.rrr.rrr	PURDUE-CS-NET	Purdue Computer Science	[CAK]
R 128.011.rrr.rrr	BBN-CRONUS	BBN DOS Project	[64,WIM]
R 128.012.rrr.rrr	SU-NET	Stanford University Net	[LB3]
D 128.013.rrr.rrr	MATNET	Mobile Access Terminal Net	[SHB]
R 128.014.rrr.rrr	BBN-SAT-TEST	BBN SATNET Test Net	[SHB]
R 128.015.rrr.rrr	S1NET	LLL-S1-NET	[EAK1]
R 128.016.rrr.rrr	UCLNET	University College London	[PK]
D 128.017.rrr.rrr	MATNET-ALT	Mobile Access Terminal Alt	[SHB]
R 128.018.rrr.rrr	SRINET	SRI Local Network	[GEOF]
D 128.019.rrr.rrr	EDN	DCEC EDN	[EC5]
D 128.020.rrr.rrr	BRLNET	BRLNET	[10,MJM2]
R 128.021.rrr.rrr	SF-PR-1	SF-1 Packet Radio Network	[JEM]
R 128.022.rrr.rrr	SF-PR-2	SF-2 Packet Radio Network	[JEM]
R 128.023.rrr.rrr	BBN-PR	BBN Packet Radio Network	[JAW3]
R 128.024.rrr.rrr	ROCKWELL-PR	Rockwell Packet Radio Net	[EHP]
D 128.025.rrr.rrr	BRAGG-PR	Ft. Bragg Packet Radio Net	[JEM]
D 128.026.rrr.rrr	SAC-PR	SAC Packet Radio Network	[BG5]
D 128.027.rrr.rrr	DEMO-PR-1	Demo-1 Packet Radio Network	[LCS]
D 128.028.rrr.rrr	C3-PR-TEMP	Testbed Development PR NET	[BG5]
R 128.029.rrr.rrr	MITRE	MITRE Cablenet	[111,TML]
R 128.030.rrr.rrr	MIT-NET	MIT Local Network	[DDC1]
R 128.031.rrr.rrr	MIT-RES	MIT Research Network	[DDC1]
R 128.032.rrr.rrr	UCB-ETHER	UC Berkeley Ethernet	[DAM1]
R 128.033.rrr.rrr	BBN-NET	BBN Network	[JSG5]
R 128.034.rrr.rrr	NOSC-LCCN	NOSC / LCCN	[RH6]
R 128.035.rrr.rrr	CISLTESTNET1	Honeywell	[52,53,JLM23]
R 128.036.rrr.rrr	YALE-NET	YALE NET	[128,JO5]
D 128.037.rrr.rrr	YPG-NET	Yuma Proving Grounds	[10,BXA]
D 128.038.rrr.rrr	NSWC-NET	NSWC Local Host Net	[RLH2]
R 128.039.rrr.rrr	NTANET	NDRE-TIU	[PS3]
R 128.040.rrr.rrr	UCL-NET-A	UCL	[RC7]
R 128.041.rrr.rrr	UCL-NET-B	UCL	[RC7]
R 128.042.rrr.rrr	RICE-NET	Rice University	[69,128,PGM]
R 128.043.rrr.rrr	DRENET	Canada REF ARPANET	[10,JR17]

D 128.044.rrr.rrr	WSMR-NET	White Sands Network	[TBS]
C 128.045.rrr.rrr	DEC-WRL-NET	DEC WRL Network	[128,RKJ2]
R 128.046.rrr.rrr	PURDUE-NET	Purdue Campus Network	[CAK]
D 128.047.rrr.rrr	TACTNET	Tactical Packet Net	[9,KTP]
G*128.048.rrr.rrr	UCDLA-NET-B	UCDLA-Network-B	[10,CXL]
R 128.049.rrr.rrr	NOSC-ETHER	NOSC Ethernet	[128,RLB3]
G 128.050.rrr.rrr	COINS	COINS On-Line Intel Net	[RLS6]
G 128.051.rrr.rrr	COINSTNET	COINS TEST NETWORK	[RLS6]
R 128.052.rrr.rrr	MIT-AI-NET	MIT AI NET	[128,MDC]
R 128.053.rrr.rrr	SAC-PR-2	SAC PRNET Number 2	[BG5]
R 128.054.rrr.rrr	UCSD	UC San Diego Network	[128,GH29]
R*128.055.rrr.rrr	MFENET	LLNL MFE Network	[109,DRP]
D 128.056.rrr.rrr	USNA-NET	US Naval Academy Network	[TXS]
D 128.057.rrr.rrr	DEMO-PR-2	Demo-2 Packet Radio Net	[LCS]
C*128.058.rrr.rrr	SPAR	Schlumberger PA Net	[128,RXB]
R 128.059.rrr.rrr	CU-NET	Columbia University	[128,LLH2]
D 128.060.rrr.rrr	NRL-LAN	NRL Lab Area Net	[WF3]
R*128.061.rrr.rrr	GATECH	Georgia Tech	[128,SA]
R 128.062.rrr.rrr	MCC-NET	MCC Corporate Net	[128,CBD]
R 128.063.rrr.rrr	BRL-SUBNET	BRL-SUBNET-EXP	[RBN1]
R 128.064.rrr.rrr-128.079.rrr.rrr		Net Dynamics Exp	[ZSU]
D 128.080.rrr.rrr	CECOMNET	CECOM EPR NET	[PFS2]
R 128.081.rrr.rrr	SCRC-ETHERNET	SCRC ETHERNET	[128,CH2]
R 128.082.rrr.rrr	UMICH	UOFMICHIGAN	[8,HWB]
R 128.083.rrr.rrr	UTAAUSTIN	U. Texas Austin	[128,JSQ1]
R 128.084.rrr.rrr	CORNELL-NET	Cornell Backbone Net	[128,BN9]
C*128.085.rrr.rrr	DRILL-NET	Teleco Drilltech Net	[DBJ]
R 128.086.rrr.rrr	MRC	UK.CO.GEC.RL.MRC	[RHC3]
R 128.087.rrr.rrr	HIRST	UK.CO.GEC.RL.HRC	[RHC3]
R*128.088.rrr.rrr	HP-NET	HEWLETT-PACKARD-NET	[AXG]
R 128.089.rrr.rrr	BBN-ENET-TEMP	BBN ETHER NETWORK	[128,SGC]
C*128.090.rrr.rrr	PQS	PERQ SYSTEMS CORP	[128,DXS]
R 128.091.rrr.rrr	UPENN	UPenn Campus Network	[128,IXW]
R 128.092.rrr.rrr	INTELLINET	INTELLICORP NET	[128,DAVE]
R*128.093.rrr.rrr	INRIA-ROCQU	INRIA Rocquencourt	[MXA1]
R*128.094.rrr.rrr	SYSNET	AT&T SYSNETWORK	[EXY]
R*128.095.rrr.rrr	WASHINGTON	Comp Sci Ether Net	[128,RA17]
C*128.096.rrr.rrr	BELLCORE-NET	BELLCORE-NET	[PK28]
R 128.097.rrr.rrr	UCLANET	UCLA Network	[BJL5]
128.098.rrr.rrr-191.254.rrr.rrr		Unassigned	[JBP]
191.255.rrr.rrr		Reserved	[JBP]

Class C Networks

*	Internet Address	Name	Network	References
-	-----	----	-----	-----
	192.000.000.rrr		Reserved	[JBP]
R	192.000.001.rrr	BBN-TEST-C	BBN-GATE-TEST-C	[RH6]
	192.000.002.rrr-192.000.255.rrr		Unassigned	[JBP]
R	192.001.000.rrr-192.001.004.rrr		BBN local networks	[SGC]
R	192.001.005.rrr	BBN-ENET2	BBN-ENET2	[SGC]
R	192.001.006.rrr		BBN local network	[SGC]
R	192.001.007.rrr	BBN-ENET	BBN-ENET	[SGC]
R	192.001.008.rrr		BBN local network	[SGC]
R	192.001.009.rrr	BBN-ENET3	BBN-ENET3	[SGC]
R	192.001.010.rrr	BBN-NETR	BBN-NETR	[SGC]
R	192.001.011.rrr	BBN-SPC-ENET	BBN-SPC-ENET	[SGC]
R	192.001.012.rrr-192.003.255.rrr		BBN local networks	[SGC]
R*	192.004.000.rrr-192.004.255.rrr		BELLCORE-NET	[128,PK28]
R	192.005.001.rrr	CISLHYPERNET	Honeywell	[JLM23]
R	192.005.002.rrr	WISC	Univ of Wisconsin Madison	[RS23]
C	192.005.003.rrr	HP-DESIGN-AIDS	HP Design Aids	[NXK]
C	192.005.004.rrr	HP-TCG-UNIX	Hewlett Packard TCG Unix	[NXK]
R	192.005.005.rrr	DEC-MRNET	DEC Marlboro Ethernet	[119,KWP]
R	192.005.006.rrr	DEC-MRRAD	DEC Marlboro Developmt	[119,KWP]
R	192.005.007.rrr	CIT-CS-NET	Caltech-CS-Net	[126,DSW]
R	192.005.008.rrr	WASHINGTON	University of Washington	[JAR4]
R	192.005.009.rrr	AERONET	Aerospace Labnet	[2,LCN]
R	192.005.010.rrr	ECLNET	USC-ECL-CAMPUS-NET	[MAB4]
R	192.005.011.rrr	CSS-RING	SEISMIC-RESEARCH-NET	[RR2]
R	192.005.012.rrr	UTAH-NET	UTAH-COMPUTER-SCIENCE-NET	[GW22]
R	192.005.013.rrr	GSWDNET	Compon Network	[128,FAS]
R	192.005.014.rrr	RAND-NET	RAND Network	[128,JDG]
R	192.005.015.rrr	NYU-NET	NYU Network	[EF5]
R	192.005.016.rrr	LANLLAND	Los Alamos Dev LAN	[128,JC11]
R	192.005.017.rrr	NRL-NET	Naval Research Lab	[AP]
R	192.005.018.rrr	IPTO-NET	ARPA-IPTO Office Net	[SA2]
R	192.005.019.rrr	UCIICS	UCI-ICS Res Net	[MTR]
R	192.005.020.rrr	CISLTTYNET	Honeywell	[JLM23]
D	192.005.021.rrr	BRLNET1	BRLNET1	[10,MJM2]
D	192.005.022.rrr	BRLNET2	BRLNET2	[10,MJM2]
D	192.005.023.rrr	BRLNET3	BRLNET3	[10,MJM2]
D	192.005.024.rrr	BRLNET4	BRLNET4	[10,MJM2]
D	192.005.025.rrr	BRLNET5	BRLNET5	[10,MJM2]
D	192.005.026.rrr	NSRDCOA-NET	NSRDC Office Auto Net	[TC4]
D	192.005.027.rrr	DTNSRDC-NET	DTNSRDC-NET	[TC4]
R	192.005.028.rrr	RSRE-NUL	RSRE-NUL	[RNM1]
R	192.005.029.rrr	RSRE-ACC	RSRE-ACC	[RNM1]
R	192.005.030.rrr	RSRE-PR	RSRE-PR	[RNM1]
R*	192.005.031.rrr	SIEMENS-NET	Siemens Research Network	[PXN]

R 192.005.032.rrr	CISLTESTNET2	Honeywell	[52,53,JLM23]
R 192.005.033.rrr	CISLTESTNET3	Honeywell	[32,33,JLM23]
R 192.005.034.rrr	CISLTESTNET4	Honeywell	[32,33,JLM23]
R 192.005.035.rrr	RIACS	USRA	[113,RLB1]
R 192.005.036.rrr	CORNELL-CS	CORNELL CS Research	[128,DK2]
R 192.005.037.rrr	UR-CS-NET	U of R CS 3Mb Net	[67,LB1]
R 192.005.038.rrr	SRI-C3ETHER	SRI-AITAD C3ETHERNET	[128,BG5]
R 192.005.039.rrr	UDEL-EECIS	Udel EECIS LAN	[120,CC2]
R 192.005.040.rrr	PUCC-NET-A	PURDUE Comp Cntr Net	[JRS8]
D 192.005.041.rrr	WISLAN	WIS Research LAN	[111,JRM1]
D 192.005.042.rrr	AFDSC-HYPER	AFDSC Hypernet	[MCA1]
R 192.005.043.rrr	CUCSNET	Columbia CS Net	[128,LH2]
R 192.005.044.rrr	Farber-PC-Net	Farber PC Network	[DJF]
R 192.005.045.rrr	AIDS-NET	AI&DS Network	[128,KFD]
R 192.005.046.rrr	NTA-RING	NDRE-RING	[PS3]
R 192.005.047.rrr	NSRDC	NSRDC	[PXM]
R 192.005.048.rrr	PURDUE-CS-EN	Purdue CS Ethernet	[128,CAK]
R 192.005.049.rrr	UCSF	Univ of Calif, San Fran	[120,TF6]
R 192.005.050.rrr	CTH-CS-NET	Chalmers CSN Net	[120,UXB]
R 192.005.051.rrr	Theorynet	Cornell Theory Center	[128,AB13]
R 192.005.052.rrr	NLM-ETHER	NLM-LHNCBC-ETHERNET	[92,JA1]
R 192.005.053.rrr	UR-CS-ETHER	U of R CS 10Mb Net	[67,LB1]
R 192.005.054.rrr	AERO-A6	Aerospace	[2,LCN]
R 192.005.055.rrr	UCLA-CECS	UCLA-CECS Network	[128,RBW]
C 192.005.056.rrr	TARTAN-NET	Tartan Labs	[SXB]
R 192.005.057.rrr	UDEL-CC	UDEL Comp Center	[120,RR18]
R 192.005.058.rrr	CSNET-PDN	CSNET X.25 Network	[60,RDR4]
R*192.005.059.rrr	INRIA SM90	Inria GIP SM-90	[MXS]
R*192.005.060.rrr	SM90 X1	Inria SM-90 exp. 1	[MXS]
R*192.005.061.rrr	SM90 X2	Inria SM-90 exp. 2	[MXS]
R*192.005.062.rrr	LITP SM90	LITP SM-90	[MXS]
R 192.005.064.rrr	AMES-NAS-NET	NASA ARC NAS LAN	[119,MF31]
R 192.005.065.rrr	NPRDC-Ether	NPRDC TRCF Ethernet	[LRB]
R 192.005.066.rrr	HARV-NET	Harvard Comp Sci Net	[SB28]
R 192.005.067.rrr	CECOM-ETHER	CECOM ADDCOMPE ETHER	[120,GIH]
R 192.005.068.rrr	AERO-130	AEROSPACE-130	[LCN]
R 192.005.069.rrr	UIUC-NET	Univ of IL at Urbana	[128,AKC]
G 192.005.070.rrr	CELAN	COINS Exper. LAN	[MXM]
R 192.005.071.rrr	SAC-ETHER	SAC C3 Ethernet	[128,BG5]
R*192.005.072.rrr-192.005.087.rrr		U Chicago	[TXN]
R 192.005.088.rrr	YALE-EE-NET	YALE-EE-NET	[128,AG22]
R 192.005.089.rrr	HARV-APPOLLO	Harvard University	[4,SB28]
R 192.005.090.rrr	HARV-ETHER	Harvard CS Ethernet	[SB28]
R 192.005.091.rrr	PURDUE-ECN1	Purdue ECN	[36,55,GG11]
R 192.005.092.rrr	BRAGG-ETHER	SRI Bragg Ether	[121,GIH]
R 192.005.093.rrr	SRI-DEMO	SRI Ether Demo	[121,GIH]
R*192.005.094.rrr	SDCRDCF-10MB	SDC R&D primary net	[128,DJV1]
R*192.005.095.rrr	SDCRDCF-3MB	SDC R&D old net	[67,DJV1]

R*192.005.096.rrr	UBC-CS-NET	UBC Comp Sci Net	[128,PXB]
R*192.005.097.rrr	UCLA-CS-LNI	UCLA CS LNI Network	[RBW]
R*192.005.098.rrr	UCLA-PIC	UCLA PIC Network	[128,RBW]
R 192.005.099.rrr	SPACENET	S-1 Workstation Net.	[128,TW11]
R*192.005.100.rrr	HCSC-NET	Honeywell CSC Net	[128,RL2]
R 192.005.101.rrr	PUCC-NET-B	Purdue Gateway Network	[JRS8]
R 192.005.102.rrr	PUCC-RHF-NET	PUCC RHF Based Net	[JRS8]
C*192.005.103.rrr	TYM-NTD-NET	Tymnet NTD Ethernet	[SMF]
R 192.005.104.rrr	THINK-INET	Thinking Machines	[128,BJN1]
R 192.005.105.rrr	CCA-POND	CCA Ethernet1 (POND)	[128,AL6]
C*192.005.106.rrr	BITSTREAM	Bitstream Type Foundry	[128,PA]
R*192.005.107.rrr	PASC-ETHER	IBM PASC Ethernet	[128,GXL]
R*192.005.108.rrr	PASC-BB	IBM PASC Broadband	[56,GXL]
R*192.005.109.rrr	CWR-JCC-T	ARJCC TOPS-20 NET	[128,JAG3]
R*192.005.110.rrr	CWR-JCC-L	ARJCC LOCAL NET	[128,JAG3]
R*192.005.111.rrr	CWR-QUAD	Campus QUAD NET	[128,JAG3]
R*192.005.112.rrr	CWR-CAISR	CAISR LOCAL NET	[128,JAG3]
R*192.005.113.rrr	CWR-CES	CES LOCAL NET	[JAG3]
C*192.005.114.rrr	I2-RING-1	INTERMETRICS PRONET	[128,NXH]
C*192.005.115.rrr	I2-ETHER-1	INTERMETRICS ETHER	[128,NXH]
R 192.005.116.rrr	BRAGGNET-1	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.117.rrr	BRAGGNET-2	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.118.rrr	BRAGGNET-3	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.119.rrr	BRAGGNET-4	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.120.rrr	BRAGGNET-5	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.121.rrr	BRAGGNET-6	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.122.rrr	BRAGGNET-7	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.123.rrr	BRAGGNET-8	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.124.rrr	BRAGGNET-9	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.125.rrr	BRAGGNET-10	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.126.rrr	BRAGGNET-11	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.127.rrr	BRAGGNET-12	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.128.rrr	BRAGGNET-13	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.129.rrr	BRAGGNET-14	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.130.rrr	BRAGGNET-15	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.131.rrr	BRAGGNET-16	BRAGG/ADDCOMPE	[128,BG25]
R 192.005.132.rrr	BRAGGNET-17	BRAGG/ADDCOMPE	[128,BG25]
R*192.005.133.rrr	PERCEPT-AI	Perceptronics, AI Div.	
		[KXC]	
192.005.134.rrr-192.005.255.rrr		Unassigned	[JBP]
C*192.006.000.rrr-192.006.255.rrr		Hewlett Packard	[AXG]
C*192.007.000.rrr-192.007.255.rrr		Computer Consoles, Inc.	[RA11]
C*192.008.000.rrr-192.008.255.rrr		Spartacus Computers, Inc.	[SXM]
C*192.009.000.rrr-192.009.255.rrr		SUN Microsystems, Inc.	[BN4]
C*192.010.000.rrr-192.010.040.rrr		Symbolics, Inc.	[CH2]
R 192.010.041.rrr	T SCRC-ETHERNET	SCRC ETHERNET	[128,CH2]
C*192.010.042.rrr-192.010.255.rrr		Symbolics, Inc.	[CH2]
C*192.011.000.rrr-192.011.255.rrr		ATT, Bell Labs	[MH12]

C*192.012.000.rrr	CADMUS-ETHERNET	CADMUS-NET	[MS9]
C*192.012.001.rrr	CADMUS-EXP-1	CADMUS-NET-EXP-1	[MS9]
C*192.012.002.rrr	CADMUS-EXP-2	CADMUS-NET-EXP-2	[MS9]
C*192.012.003.rrr	FLAIR	Fairchild AI Lab Net	[128,AMS1]
C*192.012.004.rrr	SCG-NET	Hughes SCG Net	[122,MXP]
R 192.012.005.rrr	AIC-LISPMS	SRI-AIC-LispMachNet	[128,PM4]
R 192.012.006.rrr	NPS-C2	NPS-C2	[128,AW9]
R 192.012.007.rrr	NYU-CS-ETHER	NYU CompSci Ethernet	[128,LOU]
D 192.012.008.rrr	PICANET1	Picatinny Arsenal LAN1	[128,RFD1]
R 192.012.009.rrr	CADRE-NET	Decision Systems Lab	[SM6]
R 192.012.010.rrr	CORNELL-ENG	Cornell-Engineering	[128,BN9]
R 192.012.011.rrr	MIT-TEST	MIT Gateway TEST NET	[128,NC3]
R 192.012.012.rrr	WISC-ETHER	Wisconsin Ether Net	[128,CBP]
R 192.012.013.rrr	JHU-NET1	JHU-NET1	[128,MO14]
R 192.012.014.rrr	JHU-NET2	JHU-NET2	[128,MO14]
R 192.012.015.rrr	BROOKNET	BNL Brooknet III	[128,GC]
R 192.012.016.rrr	PRMNET	SRI-SURAN-EN	[128,BP17]
G 192.012.017.rrr	LLL-TIS-NET	LLL-TIS-NET	[119,123,GP10]
R 192.012.018.rrr	CIT-CS-10NET	Caltech 10Meg EtherNet	[126,AD22]
R 192.012.019.rrr	CIT-NET	Caltech Campus Net	[126,AD22]
R 192.012.020.rrr	CIT-SUN-NET	Caltech Sun Net	[126,AD22]
R 192.012.021.rrr	CIT-PHYSCOMP	Caltech Phys Comp Net	[126,AD22]
R 192.012.022.rrr	UTCSRES	UTCS Net Research	[128,JSQ1]
R 192.012.023.rrr	UTCSTTY	UTCS TTY Kludgenet	[128,JSQ1]
R 192.012.024.rrr	MICANET	MITRE (Experimental)	[WDL]
R 192.012.025.rrr	CSS-GRAMINAE	CSS Workstation Net	[62,RR2]
R 192.012.026.rrr	NOSC-NETR	Net-R Testbed at BBN	[106,CP10]
R 192.012.027.rrr	UR-LASER	UR Laser Energetics	[128,WXL]
R*192.012.028.rrr	RIACS-X-NET	RIACS-Experimental-Net	[DG28]
D 192.012.029.rrr	RF-EVANS	ADDCOMPE DC3 LAN1	[120,MB31]
D 192.012.030.rrr	RF-HEX-A	ADDCOMPE DC3 LAN2	[120,MB31]
D 192.012.031.rrr	USNA-ENET	USNA Engineering Net	[120,TXS]
R*192.012.032.rrr	CMU-VINEYARD	CMU File Cluster Net	[128,MXX]
R 192.012.033.rrr	SRI-CSL-NET	SRI-CSL 10MB Ethernet	[GEOF]
C*192.012.034.rrr-192.012.043.rrr		Schlumberger PA Net	[128,RXB]
R 192.012.044.rrr	NRTC-NET	Northrop Research Net	[128,RSM1]
R 192.012.045.rrr	ACC-SB-IMP-NET	ACC Santa Barbara IMP	[AB20]
R 192.012.046.rrr	ACC-SB-ETHER	ACC Santa Barbara Ethernet	[AB20]
R 192.012.047.rrr	UMN-UCC-NET	Univ. of Minnesota	[RG12]
G 192.012.048.rrr	AMES-ED-EXPNET	Code ED Exp. Net.	[128,MSM1]
G 192.012.049.rrr	AMES-ED-NET	Code ED IP Net	[128,MSM1]
G 192.012.050.rrr	AMES-DB-NET	Ames DBridge Net	[128,MSM1]
R 192.012.051.rrr	THINK-CHAOS	TMC Chaos	[128,BJN1]
R*192.012.052.rrr	NEURO-NET	NEURO-NET	[128,JXB]
R*192.012.053.rrr	PU-LCA	Princeton U. LCA	[128,CXH]
R 192.012.054.rrr	WISC-MADISON	Univ Wisc - MACC	[128,JXD]
R 192.012.055.rrr	HAZ-LPR-BETA	Hazeltine LPR Net	[128,KXK]
R 192.012.056.rrr	UTAH-AP-NET	Utah-Appollo-Ring-Net	[JL15]

R 192.012.057.rrr	MCC-CAD-NET	MCC AI Subnet	[128,CBD]
R 192.012.058.rrr	MCC-PP-NET	MCC CAD Subnet	[128,CBD]
R 192.012.059.rrr	MCC-DB-NET	MCC DB Subnet	[128,CBD]
R 192.012.060.rrr	MCC-HI-NET	MCC HI Subnet	[128,CBD]
R 192.012.061.rrr	MCC-SW-NET	MCC SW Subnet	[128,CBD]
R 192.012.062.rrr	DREA-ENET	DREA Lisp & Vaxen	[128,GLH5]
R 192.012.063.rrr	CYPRESS	CYPRESS Serial Net	[CAK]
D 192.012.064.rrr	LOGNET	Logistics Net GW	[62,JXR]
D 192.012.065.rrr	HELNET1	HELNET1	[128,MJM2]
D 192.012.066.rrr	HELNET2	HELNET2	[128,MJM2]
D 192.012.067.rrr	HELNET3	HELNET3	[MJM2]
G 192.012.068.rrr	ORNL-MSRNET	ORNL Local Area Net	[62,HD]
R 192.012.069.rrr	UA-CS-NET	UNIV. OF ARIZ-CS DEPT	[128,BXM]
R 192.012.070.rrr	NPRDC-IPD	NPRDC-IPD REMOTE ETHERNET	[LRB]
R 192.012.071.rrr	NPRDC-ISG	NPRDC-ISG REMOTE ETHERNET	[LRB]
R 192.012.072.rrr	ULCC	UK.AC.ULCC	[RHC3]
R 192.012.073.rrr	BTRL	UK.CO.BT-RESEARCH-LABS	[RHC3]
R*192.012.074.rrr	APPLE-ETHER	APPLE COMPUTER ETHER	[128,RXJ]
R*192.012.075.rrr	PASC-RING	IBM PASC TOKEN RING	[GXL]
R*192.012.076.rrr	UQ-NET	UNIV. OF QLD NETWORK	[128,AXH]
C*192.012.077.rrr	PRIME	PRIME COMPUTER, INC.	[FXS]
C*192.012.078.rrr	GENNET	GENENTECH NET	[128,SXM]
C*192.012.079.rrr	SLI	SOFTWARE LEVERAGE INC.	[MXG]
R 192.012.080.rrr	CAEN	UMICH-CAEN	[HWB]
R 192.012.081.rrr	YALE-RING-NET	YALE RESEARCH RING	[RC77]
C 192.012.082.rrr	CU-CC-NET	Columbia CC Net	[128,BC14]
G*192.012.083.rrr	UCDLA-EXNET	UCDLA EXPERIMENTAL NET	[CXL]
G*192.012.084.rrr	UCDLA-PCNET	UCDLA PERSONAL NET	[CXL]
G*192.012.085.rrr	UCDLA-OPNET	UCDLA OPTICAL DISK	[CXL]
G*192.012.086.rrr	UCDLA-RADNET	UCDLA PACKET RADIO	[CXL]
G*192.012.087.rrr	UCDLA-CSLNET	UCDLA STATE LIBRARY	[CXL]
R*192.012.088.rrr	RUTGERS-NWK	RUTGERS, NEWARK	[DXB]
R 192.012.089.rrr	SBSCS-CSDEPT-1	SB Computer Science	[JXS]
R 192.012.090.rrr	SBSCS-CSDEPT-2	SB Computer Science	[JXS]
R*192.012.091.rrr	RPICSNET0	RPICS-LOCALNET-0	[MS9]
R*192.012.092.rrr	RPICSNET1	RPICS-LOCALNET-1	[MS9]
R*192.012.093.rrr	RPICSNET2	RPICS-LOCALNET-2	[MS9]
R*192.012.094.rrr	RPICSNET3	RPICS-LOCALNET-3	[MS9]
R*192.012.095.rrr	RPICSNET4	RPICS-LOCALNET-4	[MS9]
R*192.012.096.rrr	RPICSNET5	RPICS-LOCALNET-5	[MS9]
R*192.012.097.rrr	RPICSNET6	RPICS-LOCALNET-6	[MS9]
R*192.012.098.rrr	RPICSNET7	RPICS-LOCALNET-7	[MS9]
R*192.012.099.rrr	RPICSNET8	RPICS-LOCALNET-8	[MS9]
R*192.012.100.rrr	RPICSNET9	RPICS-LOCALNET-9	[MS9]
R*192.012.101.rrr	OSU-CGRG	OSU Computer Graphics	[128,KXS]
G 192.012.102.rrr	AMES-NAS-HY	AMES NAS HY NET	[MF31]
R*192.012.103.rrr-192.012.118.rrr		Colorado State Univ Nets	[RXB1]
G 192.012.119.rrr	ICST	ICST Network	[128,JCN2]

D 192.012.120.rrr	MITRE-B-NET	MITRE BEDFORD ETHER	[BSW]
R*192.012.121.rrr	FSUCS	FSU COMPUTER SCIENCE 1	[TXB]
R*192.012.122.rrr	FSUCS2	FSU COMPUTER SCIENCE 2	[TXB]
G 192.012.123.rrr	AMES-CCF-NET	AMES CCF NETWORK	[128,MSM1]
D 192.012.124.rrr	ETL-LAN	ETL LOCAL AREA NET	[128,WWS]
D 192.012.125.rrr	CRDC-NET1	CRDC-NET1	[128,JXY]
D 192.012.126.rrr	CRDC-NET2	CRDC-NET2	[128,JXY]
R 192.012.127.rrr	LL-MI-NET	LL-Machine Intell.	[128,GAA]
R 192.012.128.rrr	AITAC-ADMIN	SRI-AITAC ADMIN NET	[128,DVC]
C*192.012.129.rrr	SYM-CAN	Symbolics/Canada	[MXH]
R 192.012.130.rrr	SDC-SM	SDC Santa Monica	[CAS]
R 192.012.131.rrr	SAC-ADMIN	SRI-SAC ADMIN NET	[128,KMC3]
R 192.012.132.rrr	LLL-MON	LLL Open Labnet-1	[128,BANDY]
R 192.012.133.rrr	LLL-TUES	LLL Open Labnet-2	[128,BANDY]
R 192.012.134.rrr	LLL-WED	LLL Open Labnet-3	[128,BANDY]
R 192.012.135.rrr	LLL-THU	LLL Open Labnet-4	[128,BANDY]
R 192.012.136.rrr	LLL-FRI	LLL Open Labnet-5	[128,BANDY]
R 192.012.137.rrr	LLL-SAT	LLL Open Labnet-6	[128,BANDY]
R 192.012.138.rrr	LLL-SUN	LLL Open Labnet-7	[128,BANDY]
D 192.012.139.rrr	JTELS-BEN-GW	JUMPS Teleprocessing	[RR26]
R*192.012.140.rrr	INFERENCE	INFERENCE	[DXT]
R 192.012.141.rrr	CSS-ETHER	CSS Workstation Net 2	[RA11]
C*192.012.142.rrr	SENTRY	Sentry Adv. Prod. Net	[LXL]
C*192.012.143.rrr	VHSIC-NET	Sentry VHSIC Test	[LXL]
R*192.012.144.rrr	ECRCNET	ECRC Internet	[128,PXD]
C*192.012.145.rrr-192.012.154.rrr		RCA-CADNET	[128,RXG]
C*192.012.155.rrr-192.012.170.rrr		MTCS-CUST	[SXF]
D 192.012.171.rrr	PICANET2	Picatinny Arsenal 2	[RFD1]
R 192.012.172.rrr	ROCKWELLENET	ROCKWELL ETHERNET	[NG]
D 192.012.173.rrr	JTELS-BEN1-GW	JUMPS Teleprocessing	[RR26]
R*192.012.174.rrr-192.012.183.rrr		TORONTO	[128,BXD]
192.012.184.rrr-192.012.255.rrr		Unassigned	[JBP]
D 192.013.000.rrr-192.014.255.rrr		DODIIS Subnetworks	[AY5]
C*192.015.000.rrr-192.015.255.rrr		NBINET	[WW2]
G 192.016.000.rrr-192.016.049.rrr		LANLLAN	[128,JC11]
192.016.050.rrr-192.016.255.rrr		Unassigned	[JBP]
R*192.017.000.rrr-192.017.255.rrr		NIBELUNG	[MXA]
C*192.018.000.rrr-192.018.255.rrr		SUN Microsystems, Inc.	[BN4]
C*192.019.000.rrr-192.019.255.rrr		SYSNET-2	[EXY]
C*192.020.000.rrr-192.020.255.rrr		ATT-MD-NET	[128,MH12]
192.021.000.rrr-223.255.254.rrr		Unassigned	[JBP]
223.255.255.rrr		Reserved	[JBP]

Assigned Numbers
Network Numbers

RFC 960

Other Reserved Internet Addresses

* Internet Address	Name	Network	References
-----	----	-----	-----
224.000.000.000-255.255.255.255	Reserved		[JBP]

Network Totals

Assigned for the ARPA-Internet and the DDN-Internet

Class	A	B	C	Total
Research	7	63	911	981
Defense	8	15	536	559
Government	0	2	59	61
Commercial	2	1	4	7
Total	17	81	1510	1608

Allocated for Internet and Independent Uses

Class	A	B	C	Total
Research	7	68	1764	1838
Defense	8	15	536	559
Government	1	3	64	68
Commercial	2	5	2357	2364
Total	18	91	4721	4829

Maximum Allowed

Class	A	B	C	Total
Research	8	1024	65536	66568
Defense	24	3072	458752	461848
Government	24	3072	458752	461848
Commercial	74	9214	1114137	1123394
Total	126	16382	2097150	2113658

ASSIGNED VERSION NUMBERS

In the Internet Protocol (IP) [39,92] there is a field to identify the version of the internetwork general protocol. This field is 4 bits in size.

Assigned Internet Version Numbers

Decimal	Keyword	Version	References
-----	-----	-----	-----
0		Reserved	[JBP]
1-3		Unassigned	[JBP]
4	IP	Internet Protocol	[37,85,JBP]
5	ST	ST Datagram Mode	[40,JWF]
6-14		Unassigned	[JBP]
15		Reserved	[JBP]

ASSIGNED PROTOCOL NUMBERS

In the Internet Protocol (IP) [39,92] there is a field, called Protocol, to identify the the next level protocol. This is an 8 bit field.

Assigned Internet Protocol Numbers

Decimal	Keyword	Protocol	References
-----	-----	-----	-----
0		Reserved	[JBP]
1	ICMP	Internet Control Message	[84,JBP]
2		Unassigned	[JBP]
3	GGP	Gateway-to-Gateway	[51,MB]
4		Unassigned	[JBP]
5	ST	Stream	[43,JWF]
6	TCP	Transmission Control	[39,93,JBP]
7	UCL	UCL	[PK]
8	EGP	Exterior Gateway Protocol	[108,DLM1]
9	IGP	any private interior gateway	[JBP]
10	BBN-RCC-MON	BBN RCC Monitoring	[SGC]
11	NVP-II	Network Voice Protocol	[21,SC3]
12	PUP	PUP	[15,HGM]
13	ARGUS	ARGUS	[RWS4]
14	EMCON	EMCON	[BN7]
15	XNET	Cross Net Debugger	[49,JFH2]
16	CHAOS	Chaos	[NC3]
17	UDP	User Datagram	[39,91,JBP]
18	MUX	Multiplexing	[22,JBP]
19	DCN-MEAS	DCN Measurement Subsystems	[DLM1]
20	HMP	Host Monitoring	[6,RH6]
21	PRM	Packet Radio Measurement	[ZSU]
22	XNS-IDP	XEROX NS IDP	[129,LLG]
23	TRUNK-1	Trunk-1	[SA2]
24	TRUNK-2	Trunk-2	[SA2]
25	LEAF-1	Leaf-1	[SA2]
26	LEAF-2	Leaf-2	[SA2]
27	RDP	Reliable Data Protocol	[125,RH6]
28	IRTP	Internet Reliable Transaction	[68,TXM]
29	ISO-TP4	ISO Transport Protocol Class 4	[57,RC7]
30-60		Unassigned	[JBP]
61		any host internal protocol	[JBP]
62	CFTP	CFTP	[44,HCF2]
63		any local network	[JBP]
64	SAT-EXPAK	SATNET and Backroom EXPAK	[SHB]
65	MIT-SUBNET	MIT Subnet Support	[NC3]
66	RVD	MIT Remote Virtual Disk Protocol	[MBG]
67	IPPC	Internet Pluribus Packet Core	[SHB]

68		any distributed file system	[JBP]
69	SAT-MON	SATNET Monitoring	[SHB]
70		Unassigned	[JBP]
71	IPCV	Internet Packet Core Utility	[SHB]
72-75		Unassigned	[JBP]
76	BR-SAT-MON	Backroom SATNET Monitoring	[SHB]
77		Unassigned	[JBP]
78	WB-MON	WIDEBAND Monitoring	[SHB]
79	WB-EXPAK	WIDEBAND EXPAK	[SHB]
80-254		Unassigned	[JBP]
255		Reserved	[JBP]

ASSIGNED PORT NUMBERS

Ports are used in the TCP [39,93] to name the ends of logical connections which carry long term conversations. For the purpose of providing services to unknown callers, a service contact port is defined. This list specifies the port used by the server process as its contact port. The contact port is sometimes called the "well-known port".

To the extent possible, these same port assignments are used with the UDP [39,91].

To the extent possible, these same port assignments are used with the ISO-TP4 [57].

The assigned ports use a small portion of the possible port numbers. The assigned ports have all except the low order eight bits cleared to zero. The low order eight bits are specified here.

Port Assignments:

Decimal	Keyword	Description	References
-----	-----	-----	-----
0		Reserved	[JBP]
1-4		Unassigned	[JBP]
5	RJE	Remote Job Entry	[17,40,JBP]
7	ECHO	Echo	[82,JBP]
9	DISCARD	Discard	[80,JBP]
11	USERS	Active Users	[76,JBP]
13	DAYTIME	Daytime	[79,JBP]
15	NETSTAT	Who is up or NETSTAT	[JBP]
17	QUOTE	Quote of the Day	[87,JBP]
19	CHARGEN	Character Generator	[78,JBP]
20	FTP-DATA	File Transfer [Default Data]	[39,83,JBP]
21	FTP	File Transfer [Control]	[39,83,JBP]
23	TELNET	Telnet	[99,JBP]
25	SMTP	Simple Mail Transfer	[39,89,JBP]
27	NSW-FE	NSW User System FE	[23,RHT]
29	MSG-ICP	MSG ICP	[74,RHT]
31	MSG-AUTH	MSG Authentication	[74,RHT]
33	DSP	Display Support Protocol	[MLC]
35		any private printer server	[JBP]
37	TIME	Time	[95,JBP]
39	RLP	Resource Location Protocol	[1,MA]
41	GRAPHICS	Graphics	[40,115,JBP]
42	NAMESERVER	Host Name Server	[39,86,JBP]
43	NICNAME	Who Is	[39,48,JAKE]
44	MPM-FLAGS	MPM FLAGS Protocol	[JBP]

45	MPM	Message Processing Module [recv]	[85,JBP]
46	MPM-SND	MPM [default send]	[91,JBP]
47	NI-FTP	NI FTP	[122,SK]
49	LOGIN	Login Host Protocol	[PHD1]
51	LA-MAINT	IMP Logical Address Maintenance	[66,AGM]
53	DOMAIN	Domain Name Server	[81,71,PM1]
55	ISI-GL	ISI Graphics Language	[14,RB6]
57		any private terminal access	[JBP]
59		any private file service	[JBP]
61	NI-MAIL	NI MAIL	[12,SK]
63	VIA-FTP	VIA Systems - FTP	[DXD]
65	TACACS-DS	TACACS-Database Service	[11,RHT]
67	BOOTPS	Bootstrap Protocol Server	[35,WJC2]
68	BOOTPC	Bootstrap Protocol Client	[35,WJC2]
69	TFTP	Trivial File Transfer	[39,102,DDC1]
71	NETRJS-1	Remote Job Service	[16,40,RTB]
72	NETRJS-2	Remote Job Service	[16,40,RTB]
73	NETRJS-3	Remote Job Service	[16,40,RTB]
74	NETRJS-4	Remote Job Service	[16,40,RTB]
75		any private dial out service	[JBP]
77		any private RJE service	[JBP]
79	FINGER	Finger	[40,46,KLH]
81	HOSTS2-NS	HOSTS2 Name Server	[EAK1]
83	MIT-ML-DEV	MIT ML Device	[DPR]
85	MIT-ML-DEV	MIT ML Device	[DPR]
87		any private terminal link	[JBP]
89	SU-MIT-TG	SU/MIT Telnet Gateway	[MRC]
91	MIT-DOV	MIT Dover Spooler	[EBM]
93	DCP	Device Control Protocol	[DT15]
95	SUPDUP	SUPDUP	[26,MRC]
97	SWIFT-RVF	Swift Remote Vitural File Protocol	[MXR]
98	TACNEWS	TAC News	[FRAN]
99	METAGRAM	Metagram Relay	[GEOF]
101	HOSTNAME	NIC Host Name Server	[39,47,JAKE]
103		Unassigned	[JBP]
105	CSNET-NS	Mailbox Name Nameserver	[113,MHS1]
107	RTELNET	Remote Telnet Service	[88,JBP]
109	POP-2	Post Office Protocol - Version 2	[19,JKR1]
111	SUNRPC	SUN Remote Procedure Call	[DXG]
113	AUTH	Authentication Service	[116,MCSJ]
115	SFTP	Simple File Transfer Protocol	[60,MKL1]
117	UUCP-PATH	UUCP Path Service	[38,MAE]
119	UNTP	USENET News Transfer Protocol	[61,PL4]
121	ERPC	HYDRA Expedited Remote Procedure Call	[118,JXO]
123	NTP	Network Time Protocol	[70,DLM1]
125	LOCUS-MAP	Locus PC-Interface Net Map Server	[124,BXG]
127	LOCUS-CON	Locus PC-Interface Conn Server	[124,BXG]
129		Unassigned	[JBP]

Assigned Numbers
Port Numbers

RFC 960

131		Unassigned	[JBP]
133-223		Reserved	[JBP]
224-241		Unassigned	[JBP]
243	SUR-MEAS	Survey Measurement	[13,AV]
245	LINK	LINK	[18,RDB2]
247-255		Unassigned	[JBP]

ASSIGNED AUTONOMOUS SYSTEM NUMBERS

The Exterior Gateway Protocol (EGP) [108,105] specifies that groups of gateways may form autonomous systems. The EGP provides a 16-bit field for identifying such systems. The values of this field are registered here.

Autonomous System Numbers:

Decimal	Name	References
-----	----	-----
0	Reserved	[JBP]
1	The BBN Core Gateways	[MB]
2	DCN-AS	[DLM1]
3	The MIT Gateways	[LM8]
4	ISI-AS	[JKR1]
5	Symbolics	[CH2]
6	HIS-Multics	[BIM,JLM23]
7	UK-MOD	[RNM1]
8	RICE-AS	[PGM]
9	CMU-ROUTER	[MA]
10	CSNET-PDN-AS	[RDR4]
11	HARVARD	[SB28]
12	NYU-DOMAIN	[EF5]
13	BRL-AS	[RBN1]
14	COLUMBIA-GW	[BC14]
15	NET DYNAMICS EXP	[ZSU]
16	LBL	[WG]
17	PURDUE-CS	[KCS1]
18	UTEXAS	[JSQ1]
19	CSS-DOMAIN	[RR2]
20	UR	[LB16]
21	RAND	[JDG]
22	NOSC	[RLB3]
23	RIACS-AS	[DG28]
24	AMES-NAS-GW	[MF31]
25	UCB	[MK17]
26	CORNELL	[BN9]
27	UMDNET	[JWO1]
28	DFVLR-SYS	[HDC1]
29	YALE-AS	[JG46]
30	SRI-AICNET	[PM4]
31	CIT-CS	[AD22]
32	STANFORD	[PA5]
33	DEC-WRL-AS	[RKJ2]
34	UDEL-EECIS	[NMM]
35	MICATON	[WDL]
36	EGP-TESTOR	[BP17]

37	NSWC	[MXP1]
38	UIUC	[AKC]
39	NRL-ITD	[AP]
40	MIT-TEST	[NC3]
41	AMES	[MSM1]
42	THINK-AS	[BJN1]
43	BNL-AS	[GC]
44	S1-DOMAIN	[LWR]
45	LLL-TIS-AS	[GP10]
46	RUTGERS	[RM8]
47	USC-OBERON	[DRS4]
48	NRL-AS	[WF3]
49	ICST-AS	[JCN2]
50	ORNL-MSRNET	[THD]
51	USAREUR-EM-AS	[WXD]
52	UCLA	[BXL]
53-65534	Unassigned	[JBP]
65535	Reserved	[JBP]

DOMAIN SYSTEM PARAMETERS

The Internet Domain Naming System (DOMAIN) includes several parameters. These are documented in RFC 883 [72]. The CLASS parameter is listed here. The per CLASS parameters are defined in separate RFCs as indicated.

Domain System Parameters:

Decimal	Name	References
-----	----	-----
0	Reserved	[PM1]
1	Internet	[72, PM1]
2	Unassigned	[PM1]
3	Chaos	[PM1]
4-65534	Unassigned	[PM1]
65535	Reserved	[PM1]

ASSIGNED ARPANET LOGICAL ADDRESSES

The ARPANET facility for "logical addressing" is described in RFC 878 [65]. A portion of the possible logical addresses are reserved for standard uses.

There are 49,152 possible logical host addresses. Of these, 256 are reserved for assignment to well-known functions. Assignments for well-known functions are made by Joyce Reynolds. Assignments for other logical host addresses are made by the NIC.

Logical Address Assignments:

Decimal	Description	References
-----	-----	-----
0	Reserved	[JBP]
1	The BBN Core Gateways	[MB]
2-255	Unassigned	[JBP]
256	Reserved	[JBP]

ASSIGNED ARPANET LINK NUMBERS

The word "link" here refers to a field in the original ARPANET Host/IMP interface leader. The link was originally defined as an 8-bit field. Later specifications defined this field as the "message-id" with a length of 12 bits. The name link now refers to the high order 8 bits of this 12-bit message-id field. The Host/IMP interface is defined in BBN Report 1822 [10].

The low-order 4 bits of the message-id field are called the sub-link. Unless explicitly specified otherwise for a particular protocol, there is no sender to receiver significance to the sub-link. The sender may use the sub-link in any way he chooses (it is returned in the RFNm by the destination IMP), the receiver should ignore the sub-link.

Link Assignments:

Decimal	Description	References
-----	-----	-----
0	Reserved	[JBP]
1-149	Unassigned	[JBP]
150	Xerox NS IDP	[129,LLG]
151	Unassigned	[JBP]
152	PARC Universal Protocol	[15,HGM]
153	TIP Status Reporting	[JGH]
154	TIP Accounting	[JGH]
155	Internet Protocol [regular]	[39,92,JBP]
156-158	Internet Protocol [experimental]	[39,92,JBP]
159	Fingleaf Link	[JBW1]
160-194	Unassigned	[JBP]
195	ISO-IP	[58,RXM]
196-247	Experimental Protocols	[JBP]
248-255	Network Maintenance	[JGH]

IEEE 802 SAP NUMBERS OF INTEREST

Some of the networks of all classes are IEEE 802 Networks. These systems may use a Service Access Point field in much the same way the ARPANET uses the "link" field. For further information and SAP number assignments, please contact: Mr. Maris Graube, Chairman, IEEE 802, Route 1, 244 H, Forest Grove, Oregon, 97116.

Assignments:

Service Access Point		Description	References
-----		-----	-----
decimal	binary		
127	01111111	ISO DIS 8473	[JXJ]
96	01100000	DOD IP	[39,91,JBP]

The IEEE 802.3 header does not have a type field to indicate what protocol is used at the next level. As a work around for this problem, one can put the Ethernet type field value in the IEEE 802.3 header's length field and use the following test to determine the appropriate processing on receipt.

If the value in the length field of the IEEE 802.3 header is greater than the Ethernet maximum packet length, then interpret the value as an Ethernet type field. Otherwise, interpret the packet as an IEEE 802.3 packet.

The proposed standard for transmission of IP datagrams over IEEE 802.3 networks is specified in RFC 948 [127].

ETHERNET NUMBERS OF INTEREST

Many of the networks of all classes are Ethernets (10Mb) or Experimental Ethernets (3Mb). These systems use a message "type" field in much the same way the ARPANET uses the "link" field.

If you need an Ethernet number, contact the XEROX Corporation, Office Products Division, Network Systems Administration Office, 333 Coyote Hill Road, Palo Alto, California, 94304.

Assignments:

Ethernet		Exp. Ethernet		Description	References
-----		-----		-----	-----
decimal	Hex	decimal	octal		
512	0200	512	1000	XEROX PUP	[1,HGM]
513	0201	-	-	PUP Addr. Trans.	[HGM]
1536	0600	1536	3000	XEROX NS IDP	[128,HGM]
2048	0800	513	1001	DOD IP	[39,91,JBP]
2049	0801	-	-	X.75 Internet	[HGM]
2050	0802	-	-	NBS Internet	[HGM]
2051	0803	-	-	ECMA Internet	[HGM]
2052	0804	-	-	Chaosnet	[HGM]
2053	0805	-	-	X.25 Level 3	[HGM]
2054	0806	-	-	ARP	[74,JBP]
2055	0807	-	-	XNS Compatability	[HGM]
2076	081C	-	-	Symbolics Private	[DCP1]
32771	8003	-	-	Cronus VLN	[116,DT15]
32772	8004	-	-	Cronus Direct	[116,DT15]
32774	8006	-	-	Nestar	[HGM]
32784	8010	-	-	Excelan	[HGM]
32821	8035	-	-	Reverse ARP	[42,JCM]
36864	9000	-	-	Loopback	[HGM]

The standard for transmission of IP datagrams over Ethernets and Experimental Ethernets is specified in RFC 894 [54] and RFC 895 [76] respectively.

ASSIGNED ADDRESS RESOLUTION PROTOCOL PARAMETERS

The Address Resolution Protocol (ARP) specified in RFC 826 [75] has several parameters. The assigned values for these parameters are listed here.

Assignments:

Operation Code (op)

- 1 REQUEST
- 2 REPLY

Hardware Type (hrd)

Type	Description	References
----	-----	-----
1	Ethernet (10Mb)	[JBP]
2	Experimental Ethernet (3Mb)	[JBP]
3	Amateur Radio AX.25	[PXK]
4	Proton ProNET Token Ring	[JBP]
5	Chaos	[GXP]

Protocol Type (pro)

Use the same codes as listed in the section called "Ethernet Numbers of Interest" (all hardware types use this code set for the protocol type).

ASSIGNED PUBLIC DATA NETWORK NUMBERS

One of the Internet Class A Networks is the international system of Public Data Networks. This section lists the mapping between the Internet Addresses and the Public Data Network Addresses (X.121).

Assignments:

Internet	Public Data Net	Description	References
-----	-----	-----	-----
014.000.000.000		Reserved	[JBP]
014.000.000.001	3110-317-00035 00	PURDUE-TN	[CAK]
014.000.000.002	3110-608-00027 00	UWISC-TN	[CAK]
014.000.000.003	3110-302-00024 00	UDEL-TN	[CAK]
014.000.000.004	2342-192-00149 23	UCL-VTEST	[PK]
014.000.000.005	2342-192-00300 23	UCL-TG	[PK]
014.000.000.006	2342-192-00300 25	UK-SATNET	[PK]
014.000.000.007	3110-608-00024 00	UWISC-IBM	[MHS1]
014.000.000.008	3110-213-00045 00	RAND-TN	[MO2]
014.000.000.009	2342-192-00300 23	UCL-CS	[PK]
014.000.000.010	3110-617-00025 00	BBN-VAN-GW	[JD21]
014.000.000.011	2405-015-50300 00	CHALMERS	[UXB]
014.000.000.012	3110-713-00165 00	RICE	[PAM6]
014.000.000.013	3110-415-00261 00	DECWRL	[PAM6]
014.000.000.014	3110-408-00051 00	IBM-SJ	[SA1]
014.000.000.015	2041-117-01000 00	SHAPE	[JFW]
014.000.000.016	2628-153-90075 00	DFVLR4-X25	[HDC1]
014.000.000.017	3110-213-00032 00	ISI-VAN-GW	[JD21]
014.000.000.018	2624-522-80900 52	DFVLR5-X25	[HDC1]
014.000.000.019	2041-170-10000 00	SHAPE-X25	[JFW]
014.000.000.020	5052-737-20000 50	UQNET	[AXH]
014.000.000.021	3020-801-00057 50	DMC-CRC1	[JR17]
014.000.000.022-014.255.255.254		Unassigned	[JBP]
014.255.255.255		Reserved	[JBP]

The standard for transmission of IP datagrams over the Public Data Network is specified in RFC 877 [60].

ASSIGNED TELNET OPTIONS

The Telnet Protocol has a number of options that may be negotiated. These options are listed here. "Official ARPA-Internet Protocols" [104] provides more detailed information.

Options	Name	References
-----	-----	-----
0	Binary Transmission	[97,JBP]
1	Echo	[98,JBP]
2	Reconnection	[7,JBP]
3	Suppress Go Ahead	[101,JBP]
4	Approx Message Size Negotiation	[40,JBP]
5	Status	[100,JBP]
6	Timing Mark	[102,JBP]
7	Remote Controlled Trans and Echo	[94,JBP]
8	Output Line Width	[5,JBP]
9	Output Page Size	[6,JBP]
10	Output Carriage-Return Disposition	[27,JBP]
11	Output Horizontal Tab Stops	[31,JBP]
12	Output Horizontal Tab Disposition	[30,JBP]
13	Output Formfeed Disposition	[28,JBP]
14	Output Vertical Tabstops	[33,JBP]
15	Output Vertical Tab Disposition	[32,JBP]
16	Output Linefeed Disposition	[29,JBP]
17	Extended ASCII	[123,JBP]
18	Logout	[24,MRC]
19	Byte Macro	[34,JBP]
20	Data Entry Terminal	[37,JBP]
22	SUPDUP	[26,25,MRC]
22	SUPDUP Output	[45,MRC]
23	Send Location	[59,EAK1]
24	Terminal Type	[114,MHS1]
25	End of Record	[89,JBP]
26	TACACS User Identification	[3,BA4]
27	Output Marking	[110,SXS]
28	Terminal Location Number	[73,RN6]
255	Extended-Options-List	[96,JBP]

OFFICIAL MACHINE NAMES

These are the Official Machine Names as they appear in the NIC Host Table. Their use is described in RFC 810 [41].

ALTO
AMDAHL-V7
APOLLO
ATT-3B20
BBN-C/60
BURROUGHS-B/29
BURROUGHS-B/4800
BUTTERFLY
C/30
C/70
CADLINC
CADR
CDC-170
CDC-170/750
CDC-173
CELERITY-1200
COMTEN-3690
CP8040
CTIWS-117
DANDELION
DEC-10
DEC-1050
DEC-1077
DEC-1080
DEC-1090
DEC-1090B
DEC-1090T
DEC-2020T
DEC-2040
DEC-2040T
DEC-2050T
DEC-2060
DEC-2060T
DEC-2065
DEC-FALCON
DEC-KS10
DORADO
DPS8/70M
ELXSI-6400
FOONLY-F2
FOONLY-F3
FOONLY-F4
GOULD

GOULD-6050
GOULD-6080
GOULD-9050
GOULD-9080
H-316
H-60/68
H-68
H-68/80
H-89
HONEYWELL-DPS-6
HONEYWELL-DPS-8/70
HP3000
HP3000/64
IBM-158
IBM-360/67
IBM-370/3033
IBM-3081
IBM-3084QX
IBM-3101
IBM-4331
IBM-4341
IBM-4361
IBM-4381
IBM-4956
IBM-PC
IBM-PC/AT
IBM-PC/XT
IBM-SERIES/1
IMAGEN
IMAGEN-8/300
IMSAI
INTEGRATED-SOLUTIONS
INTEGRATED-SOLUTIONS-68K
INTEGRATED-SOLUTIONS-CREATOR
INTEGRATED-SOLUTIONS-CREATOR-8
INTEL-IPSC
IRIS
IRIS-1400
IS-1
IS-68010
LMI
LSI-11
LSI-11/2
LSI-11/23
LSI-11/73
M-6800
M68000
MASSCOMP

MC500
MC68000
MICROVAX
MICROVAX-I
MV/8000
NAS3-5
NCR-COMTEN-3690
NOW
ONYX-Z8000
PDP-11
PDP-11/3
PDP-11/23
PDP-11/24
PDP-11/34
PDP-11/40
PDP-11/44
PDP-11/45
PDP-11/50
PDP-11/70
PDP-11/73
PE-7/32
PE-3205
PERQ
PLEXUS-P/60
PLI
PLURIBUS
PYRAMID-90
PYRAMID-90MX
PYRAMID-90X
RIDGE
RIDGE-32
RIDGE-32C
ROLM-1666
S1-MKIIA
SMI
SEQUENT
SEQUENT-BALANCE-8000
SGI-IRIS
SIEMENS
SILICON-GRAPHICS
SILICON-GRAPHICS-IRIS
SPERRY-DCP/10
SUN
SUN-2
SUN-2/50
SUN-2/100
SUN-2/120
SUN-2/140

SUN-2/150
SUN-2/160
SUN-2/170
SUN-3/160
SUN-3/75
SUN-50
SUN-100
SUN-120
SUN-130
SUN-150
SUN-170
SUN-68000
SYMBOLICS-3600
SYMBOLICS-3670
TANDEM-TXP
TEK-6130
TI-EXPLORER
TP-4000
TRS-80
UNIVAC-1100
UNIVAC-1100/60
UNIVAC-1100/62
UNIVAC-1100/63
UNIVAC-1100/64
UNIVAC-1100/70
UNIVAC-1160
VAX-11/725
VAX-11/730
VAX-11/750
VAX-11/780
VAX-11/785
VAX-11/790
VAX-11/8600
VAX-8600
WANG-PC002
WANG-VS100
WANG-VS400
XEROX-1100
XEROX-1108
XEROX-8010

OFFICIAL SYSTEM NAMES

These are the Official System Names as they appear in the NIC Host Table. Their use is described in RFC 810 [41].

AEGLS
APOLLO
BS-2000
CEDAR
CGW
CHRYSLIS
CMOS
CMS
COS
CPIX
CTOS
DCN
DDNOS
DOMAIN
EDX
ELF
EMBOS
EMMOS
EPOS
FOONEX
FUZZ
GCOS
GPOS
HDOS
IMAGEN
INTERCOM
IMPRESS
INTERLISP
IOS
ITS
LISP
LISPM
LOCUS
MINOS
MOS
MPE5
MSDOS
MULTICS
MVS
MVS/SP
NEXUS
NMS
NONSTOP

NOS-2
OS/DDP
OS4
OS86
OSX
PCDOS
PERQ-OS
PLI
PSDOS/MIT
RMX/RDOS
ROS
RSX11M
SATOPS
SCS
SIMP
SWIFT
TAC
TANDEM
TENEX
TOPS-10
TOPS-20
TP3010
TRSDOS
ULTRIX
UNIX
UT2D
V
VM
VM/370
VM/CMS
VM/SP
VMS
VMS/EUNICE
VRTX
WAITS
WANG
XDE
XENIX

OFFICIAL PROTOCOL AND SERVICE NAMES

These are the Official Protocol Names. Their use is described in greater detail in RFC 810 [41].

ARGUS	- ARGUS Protocol
AUTH	- Authentication Service
BBN-RCC-MON	- BBN RCC Monitoring
BOOTPC	- Bootstrap Protocol Client
BOOTPS	- Bootstrap Protocol Server
BR-SAT-MON	- Backroom SATNET Monitoring
CFTP	- CFTP
CHAOS	- CHAOS Protocol
CHARGEN	- Character Generator Protocol
CLOCK	- DCNET Time Server Protocol
CSNET-NS	- CSNET Mailbox Nameserver Protocol
DAYTIME	- Daytime Protocol
DCN-MEAS	- DCN Measurement Subsystems Protocol
DCP	- Device Control Protocol
DISCARD	- Discard Protocol
DOMAIN	- Domain Name Server
ECHO	- Echo Protocol
EGP	- Exterior Gateway Protocol
EMCON	- Emission Control Protocol
FINGER	- Finger Protocol
FTP	- File Transfer Protocol
GGP	- Gateway Gateway Protocol
GRAPHICS	- Graphics Protocol
HMP	- Host Monitoring Protocol
HOST2-NS	- Host2 Name Server
HOSTNAME	- Hostname Protocol
ICMP	- Internet Control Message Protocol
IGP	- Interior Gateway Protocol
IP	- Internet Protocol
IPCU	- Internet Packet Core Utility
IPPC	- Internet Pluribus Packet Core
IRTP	- Internet Reliable Transaction Protocol
ISI-GL	- ISI Graphics Language Protocol
ISO-TP4	- ISO Transport Protocol Class 4
LA-MAINT	- IMP Logical Address Maintenance
LEAF-1	- Leaf-1 Protocol
LEAF-2	- Leaf-2 Protocol
LINK	- Link Protocol
LOGIN	- Login Host Protocol
METAGRAM	- Metagram Relay
MIT-ML-DEV	- MIT ML Device
MIT-SUBNET	- MIT Subnet Support
MIT-DOV	- MIT Dover Spooler

MPM	- Internet Message Protocol (Multimedia Mail)
MPM-FLAGS	- MP Flags Protocol
MSG-AUTH	- MSG Authentication Protocol
MSG-ICP	- MSG ICP Protocol
MUX	- Multiplexing Protocol
NAMESERVER	- Host Name Server
NETED	- Network Standard Text Editor
NETRJS	- Remote Job Service
NI-FTP	- NI File Transfer Protocol
NI-MAIL	- NI Mail Protocol
NICNAME	- Who Is Protocol
NSW-FE	- NSW User System Front End
NTP	- Network Time Protocol
NVP-II	- Network Voice Protocol
POP2	- Post Office Protocol - Version 2
PRM	- Packet Radio Measurement
PUP	- PUP Protocol
QUOTE	- Quote of the Day Protocol
RDP	- Reliable Data Protocol
RJE	- Remote Job Entry
RLP	- Resource Location Protocol
RTELNET	- Remote Telnet Service
RVD	- Remote Virtual Disk Protocol
SAT-EXPAK	- Satnet and Backroom EXPAK
SAT-MON	- SATNET Monitoring
SFTP	- Simple File Transfer Protocol
SMTP	- Simple Mail Transfer Protocol
ST	- Stream Protocol
SU-MIT-TG	- SU/MIT Telnet Gateway Protocol
SUNRPC	- SUN Remote Procedure Call
SUPDUP	- SUPDUP Protocol
SUR-MEAS	- Survey Measurement
SWIFT-RVF	- Remote Virtual File Protocol
TACACS-DS	- TACACS-Database Service
TACNEWS	- TAC News
TCP	- Transmission Control Protocol
TELNET	- Telnet Protocol
TFTP	- Trivial File Transfer Protocol
TIME	- Time Server Protocol
TRUNK-1	- Trunk-1 Protocol
TRUNK-2	- Trunk-2 Protocol
UCL	- University College London Protocol
UDP	- User Datagram Protocol
UNTP	- USENET News Transfer Protocol
USERS	- Active Users Protocol
UUCP-PATH	- UUCP Path Service
VIA-FTP	- VIA Systems-File Transfer Protocol
WB-EXPAK	- Wideband EXPAK

WB-MON	- Wideband Monitoring
XNET	- Cross Net Debugger
XNS-IDP	- Xerox NS IDP

OFFICIAL TERMINAL TYPE NAMES

These are the Official Terminal Type Names. Their use is described in RFC 930 [114]. The maximum length of a name is 40 characters.

ADDS-CONSUL-980
ADDS-REGENT-100
ADDS-REGENT-20
ADDS-REGENT-200
ADDS-REGENT-25
ADDS-REGENT-40
ADDS-REGENT-60
AMPEX-DIALOGUE-80
ANDERSON-JACOBSON-630
ANDERSON-JACOBSON-832
ANDERSON-JACOBSON-841
ANN-ARBOR-AMBASSADOR
ARDS
BITGRAPH
BUSSIPLEXER
CALCOMP-565
CDC-456
CDI-1030
CDI-1203
CLNZ
COMPUCOLOR-II
CONCEPT-100
CONCEPT-104
CONCEPT-108
DATA-100
DATA-GENERAL-6053
DATAGRAPHIX-132A
DATAMEDIA-1520
DATAMEDIA-1521
DATAMEDIA-2500
DATAMEDIA-3025
DATAMEDIA-3025A
DATAMEDIA-3045
DATAMEDIA-3045A
DATAMEDIA-DT80/1
DATAPOINT-2200
DATAPOINT-3000
DATAPOINT-3300
DATAPOINT-3360
DEC-DECWRITER-I
DEC-DECWRITER-II
DEC-GT40
DEC-GT40A

DEC-GT42
DEC-LA120
DEC-LA30
DEC-LA36
DEC-LA38
DEC-VT05
DEC-VT100
DEC-VT132
DEC-VT50
DEC-VT50H
DEC-VT52
DELTA-DATA-5000
DELTA-TELTERM-2
DIABLO-1620
DIABLO-1640
DIGILOG-333
DTC-300S
EDT-1200
EXECUPORT-4000
EXECUPORT-4080
GENERAL-TERMINAL-100A
GSI
HAZELTINE-1500
HAZELTINE-1510
HAZELTINE-1520
HAZELTINE-2000
HP-2621
HP-2621A
HP-2621P
HP-2626
HP-2626A
HP-2626P
HP-2640
HP-2640A
HP-2640B
HP-2645
HP-2645A
HP-2648
HP-2648A
HP-2649
HP-2649A
IBM-3101
IBM-3101-10
IBM-3275-2
IBM-3276-2
IBM-3276-3
IBM-3276-4
IBM-3277-2

IBM-3278-2
IBM-3278-3
IBM-3278-4
IBM-3278-5
IBM-3279-2
IBM-3279-3
IMLAC
INFOTON-100
INFOTONKAS
ISC-8001
LSI-ADM-3
LSI-ADM-31
LSI-ADM-3A
LSI-ADM-42
MEMOREX-1240
MICROBEE
MICROTERM-ACT-IV
MICROTERM-ACT-V
MICROTERM-MIME-1
MICROTERM-MIME-2
NETRONICS
NETWORK-VIRTUAL-TERMINAL
OMRON-8025AG
PERKIN-ELMER-1100
PERKIN-ELMER-1200
PERQ
PLASMA-PANEL
QUME-SPRINT-5
SOROC
SOROC-120
SOUTHWEST-TECHNICAL-PRODUCTS-CT82
SUPERBEE
SUPERBEE-III-M
TEC
TEKTRONIX-4010
TEKTRONIX-4012
TEKTRONIX-4013
TEKTRONIX-4014
TEKTRONIX-4023
TEKTRONIX-4024
TEKTRONIX-4025
TEKTRONIX-4027
TELERAY-1061
TELERAY-3700
TELERAY-3800
TELETEC-DATASCREEN
TELETERM-1030
TELETYPE-33

TELETYPE-35
TELETYPE-37
TELETYPE-38
TELETYPE-43
TELEVIDEO-912
TELEVIDEO-920
TELEVIDEO-920B
TELEVIDEO-920C
TELEVIDEO-950
TERMINET-1200
TERMINET-300
TI-700
TI-733
TI-735
TI-743
TI-745
TYCOM
UNIVAC-DCT-500
VIDEO-SYSTEMS-1200
VIDEO-SYSTEMS-5000
VISUAL-200
XEROX-1720
ZENITH-H19
ZENITEC-30

DOCUMENTS

- [1] Accetta, M., "Resource Location Protocol", RFC 887, Carnegie-Mellon University, December 1983.
- [2] Aerospace, Internal Report, ATM-83(3920-01)-3, 1982.
- [3] Anderson, B., "TACACS User Identification Telnet Option", RFC 927, BBN, December 1984.
- [4] Apollo Computer, Inc., "Domain TCP/IP Reference", Order No. 003247, Chelmsford, Ma.
- [5] ARPANET Protocol Handbook, "Telnet Output Line Width Option", NIC 20196, November 1973.
- [6] ARPANET Protocol Handbook, "Telnet Output Page Size Option", NIC 20197, November 1973.
- [7] ARPANET Protocol Handbook, "Telnet Reconnection Option", NIC 15391, August 1973.
- [8] Aupperle, E. M., "Merit's Evolution - Statistically Speaking", IEEE Transaction on Computers, Vol. C-32, No. 10, October 1983, pp. 881-902.
- [9] BBN Proposal No. P83-COM-40, "Packet Switched Overlay to Tactical Multichannel/Satellite Systems".
- [10] BBN, "Specifications for the Interconnection of a Host and an IMP", Report 1822, Bolt Beranek and Newman, Cambridge, Massachusetts, revised, December 1981.
- [11] BBN, "User Manual for TAC User Database Tool", Bolt Beranek and Newman, September 1984.
- [12] Bennett, C., "A Simple NIFTP-Based Mail System", IEN 169, University College, London, January 1981.
- [13] Bhushan, A., "A Report on the Survey Project", RFC 530, NIC 17375, June 1973.
- [14] Bisbey, R., D. Hollingworth, and B. Britt, "Graphics Language (version 2.1)", ISI/TM-80-18, Information Sciences Institute, July 1980.

- [15] Boggs, D., J. Shoch, E. Taft, and R. Metcalfe, "PUP: An Internetwork Architecture", XEROX Palo Alto Research Center, CSL-79-10, July 1979; also in IEEE Transactions on Communication, Volume COM-28, Number 4, April 1980.
- [16] Braden, R., "NETRJS Protocol", RFC 740, NIC 42423, November 1977.
- [17] Bressler, B., "Remote Job Entry Protocol", RFC 407, NIC 12112, October 72.
- [18] Bressler, R., "Inter-Entity Communication -- An Experiment", RFC 441, NIC 13773, January 1973.
- [19] Butler, M., J. Postel, D. Chase, J. Goldberger, and J. K. Reynolds, "Post Office Protocol - Version 2", RFC 937, Information Sciences Institute, February 1985.
- [20] Clark, D., "Revision of DSP Specification", Local Network Note 9, Laboratory for Computer Science, MIT, June 1977.
- [21] Cohen, D., "Specifications for the Network Voice Protocol", RFC 741, ISI/RR 7539, Information Sciences Institute, March 1976.
- [22] Cohen, D. and J. Postel, "Multiplexing Protocol", IEN 90, Information Sciences Institute, May 1979.
- [23] COMPASS, "Semi-Annual Technical Report", CADD-7603-0411, Massachusetts Computer Associates, 4 March 1976. Also as, "National Software Works, Status Report No. 1," RADC-TR-76-276, Volume 1, September 1976. And COMPASS. "Second Semi-Annual Report," CADD-7608-1611, Massachusetts Computer Associates, August 1976.
- [24] Crispin, M., "Telnet Logout Option", Stanford University-AI, RFC 727, April 1977.
- [25] Crispin, M., "Telnet SUPDUP Option", Stanford University-AI, RFC 736, October 1977.
- [26] Crispin, M., "SUPDUP Protocol", RFC 734, NIC 41953, October 1977.
- [27] Crocker, D., "Telnet Output Carriage-Return Disposition Option", RFC 652, October 1974.

- [28] Crocker, D., "Telnet Output Formfeed Disposition Option", RFC 655, October 1974.
- [29] Crocker, D., "Telnet Output Linefeed Disposition", RFC 658, October 1974.
- [30] Crocker, D., "Telnet Output Horizontal Tab Disposition Option", RFC 654,
- [31] Crocker, D., "Telnet Output Horizontal Tabstops Option", RFC 653, October 1974.
- [32] Crocker, D., "Telnet Output Vertical Tab Disposition Option", RFC 657, October 1974.
- [33] Crocker, D., "Telnet Output Vertical Tabstops Option", RFC 656, October 1974.
- [34] Crocker, D. H. and R. H. Gumpertz, "Revised Telnet Byte Marco Option", RFC 735, November 1977.
- [35] Croft, B., and J. Gilmore, "BOOTSTRAP Protocol (BOOTP)", RFC 951, Stanford and SUN Microsystems, September 1985.
- [36] Croft, W. J., "Unix Networking at Purdue", USENIX Conference, 1980.
- [37] Day, J., "Telnet Data Entry Terminal Option", RFC 732, September 1977.
- [38] Elvy, M., and R. Nedved, "Network Mail Path Service", RFC 915, Harvard and CMU, December 1984.
- [39] Feinler, E., "Internet Protocol Transition Workbook", Network Information Center, SRI International, March 1982.
- [40] Feinler, E. and J. Postel, eds., "ARPANET Protocol Handbook", NIC 7104, for the Defense Communications Agency by SRI International, Menlo Park, California, Revised January 1978.
- [41] Feinler, E., K. Harrenstien, Z. Su, and V. White, "DoD Internet Host Table Specification", RFC 810, SRI International, March 1982.
- [42] Finlayson, R., T. Mann, J. Mogul, and M. Theimer, "A Reverse Address Resolution Protocol", RFC 903, Stanford University, June 1984.

- [43] Forgie, J., "ST - A Proposed Internet Stream Protocol", IEN 119, MIT Lincoln Laboratory, September 1979.
- [44] Forsdick, H., "CFTP", Network Message, Bolt Beranek and Newman, January 1982.
- [45] Greenberg, B., "Telnet SUPDUP-OUTPUT Option", RFC 749, MIT-Multics, September 1978.
- [46] Harrenstien, K., "Name/Finger", RFC 742, NIC 42758, SRI International, December 1977.
- [47] Harrenstien, K., V. White, and E. Feinler, "Hostnames Server", RFC 811, SRI International, March 1982.
- [48] Harrenstien, K., and V. White, "Nickname/Whois", RFC 812, SRI International, March 1982.
- [49] Haverty, J., "XNET Formats for Internet Protocol Version 4", IEN 158, October 1980.
- [50] Hinden, R. M., "A Host Monitoring Protocol", RFC 869, Bolt Beranek and Newman, December 1983.
- [51] Hinden, R., and A. Sheltzer, "The DARPA Internet Gateway", RFC 823, September 1982.
- [52] Honeywell CISL, Internal Document, "AFSDSC Hyperchannel RPQ Project Plan".
- [53] Honeywell CISL, Internal Document, "Multics MR11 PFS".
- [54] Hornig, C., "A Standard for the Transmission of IP Datagrams over Ethernet Networks, RFC 894, Symbolics, April 1984.
- [55] Hwang, K., W. J. Croft and G. H. Goble, "A Unix-Based Local Computer Network with Load Balancing", IEEE Computer, April 1982.
- [56] IBM Corporation, "Technical Reference Manual for the IBM PC Network", 6322505, IBM, Boca Raton, Florida, 1984.
- [57] International Standards Organization, "ISO Transport Protocol Specification - ISO DP 8073", RFC 905, April 1984.
- [58] International Standards Organization, "Protocol for Providing the Connectionless-Mode Network Services", RFC 926, ISO, December 1984.

- [59] Killian, E., "Telnet Send-Location Option", RFC 779, April 1981.
- [60] Korb, J. T., "A Standard for the Transmission of IP Datagrams Over Public Data Networks", RFC 877, Purdue University, September 1983.
- [61] Lapsley, P., and B. Kantor, "USENET News Transfer Protocol", Draft Memo, April 1985.
- [62] Leffler, S. J., et al., "4.2bsd Network Implementation Notes", University of California, Berkeley, July 1983.
- [63] Lottor, M. K., "Simple File Transfer Protocol", RFC 913, MIT, September 1984.
- [64] Macgregor, W., and D. Tappan, "The CRONUS Virtual Local Network", RFC 824, Bolt Beranek and Newman, August 1982.
- [65] Malis, A., "The ARPANET 1822L Host Access Protocol", RFC 878, BBN-CC, Cambridge, December 1983.
- [66] Malis, A., "Logical Addressing Implementation Specification", BBN Report 5256, pp 31-36, May 1983.
- [67] Metcalfe, R. M. and D. R. Boggs, "Ethernet: Distributed Packet Switching for Local Computer Networks", Communications of the ACM, 19 (7), pp 395-402, July 1976.
- [68] Miller, T., "Internet Reliable Transaction Protocol", RFC 938, ACC, February 1985.
- [69] Mills, D., "DCN Local Network Protocols", RFC 891, Linkabit, December 1983.
- [70] Mills, D., "Network Time Protocol", RFC 958, M/A-COM Linkabit, September 1985.
- [71] Mockapetris, P., "Domain Names - Concepts and Facilities", RFC 882, ISI, November 1983.
- [72] Mockapetris, P., "Domain Names - Implementation and Specification", RFC 883, ISI, November 1983.
- [73] Nedved, R., "Telnet Terminal Location Number Option", RFC 946, Carnegie-Mellon University, May 1985.

- [74] NSW Protocol Committee, "MSG: The Interprocess Communication Facility for the National Software Works", CADD-7612-2411, Massachusetts Computer Associates, BBN 3237, Bolt Beranek and Newman, Revised December 1976.
- [75] Plummer, D., "An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses to 48-bit Ethernet Addresses for Transmission on Ethernet Hardware", RFC 826, MIT-LCS, November 1982.
- [76] Postel, J., "Active Users", RFC 866, Information Sciences Institute, May 1983.
- [77] Postel, J., "A Standard for the Transmission of IP Datagrams over Experimental Ethernet Networks", RFC 895, Information Sciences Institute, April 1984.
- [78] Postel, J., "Character Generator Protocol", RFC 864, Information Sciences Institute, May 1983.
- [79] Postel, J., "Daytime Protocol", RFC 867, Information Sciences Institute, May 1983.
- [80] Postel, J., "Discard Protocol", RFC 863, Information Sciences Institute, May 1983.
- [81] Postel, J., "The Domain Names Plan and Schedule", RFC 881, ISI, November 1983.
- [82] Postel, J., "Echo Protocol", RFC 862, Information Sciences Institute, May 1983.
- [83] Postel, J., "File Transfer Protocol", RFC 765, IEN 149, Information Sciences Institute, June 1980.
- [84] Postel, J., "Internet Control Message Protocol - DARPA Internet Program Protocol Specification", RFC 792, Information Sciences Institute, September 1981.
- [83] Postel, J., "Internet Message Protocol", RFC 759, IEN 113, Information Sciences Institute, August 1980.
- [84] Postel, J., "Name Server", IEN 116, Information Sciences Institute, August 1979.
- [85] Postel, J., "Quote of the Day Protocol", RFC 865, Information Sciences Institute, May 1983.

- [86] Postel, J., "Remote Telnet Service", RFC 818, Information Sciences Institute, November 1982.
- [87] Postel, J., "Simple Mail Transfer Protocol", RFC 821, Information Sciences Institute, August 1982.
- [90] Postel, J., "Telnet End of Record Option", RFC 885, Information Sciences Institute, December 1983.
- [91] Postel, J., "User Datagram Protocol", RFC 768, Information Sciences Institute, August 1980.
- [92] Postel, J., ed., "Internet Protocol - DARPA Internet Program Protocol Specification", RFC 791, Information Sciences Institute, September 1981.
- [93] Postel, J., ed., "Transmission Control Protocol - DARPA Internet Program Protocol Specification", RFC 793, Information Sciences Institute, September 1981.
- [94] Postel, J. and D. Crocker, "Remote Controlled Transmission and Echoing Telnet Option", RFC 726, March 1977.
- [95] Postel, J., and K. Harrenstien, "Time Protocol", RFC 868, Information Sciences Institute, May 1983.
- [96] Postel, J. and J. Reynolds, "Telnet Extended Options - List Option", RFC 861, Information Sciences Institute, May 1983.
- [97] Postel, J. and J. Reynolds, "Telnet Binary Transmission", RFC 856, Information Sciences Institute, May 1983.
- [98] Postel, J. and J. Reynolds, "Telnet Echo Option", RFC 857, Information Sciences Institute, May 1983.
- [99] Postel, J., and J. Reynolds, "Telnet Protocol Specification", RFC 854, Information Sciences Institute, May 1983.
- [100] Postel, J. and J. Reynolds, "Telnet Status Option", RFC 859, Information Sciences Institute, May 1983.
- [101] Postel, J. and J. Reynolds, "Telnet Suppress Go Ahead Option", RFC 858, Information Sciences Institute, May 1983.
- [102] Postel, J. and J. Reynolds, "Telnet Timing Mark Option", RFC 860, Information Sciences Institute, May 1983.

- [103] Reed, D., "Protocols for the LCS Network", Local Network Note 3, Laboratory for Computer Science, MIT, November 1976.
- [104] Reynolds, J. and J. Postel, "Official ARPA-Internet Protocols", RFC 961, Information Sciences Institute, November 1985.
- [105] Rosen, E., "Exterior Gateway Protocol" RFC 827, Bolt Beranek and Newman, October 1982.
- [106] Saltzer, J. H., "Design of a Ten-megabit/sec Token Ring Network", MIT Laboratory for Computer Science Technical Report.
- [107] Scott, W. S., "2.9bsd/TIS Network Implementation", Lawrence Livermore National Laboratory, September 1984.
- [108] Seamonson, L. J., and E. C. Rosen, "STUB" Exterior Gateway Protocol", RFC 888, BBN Communications Corporation, January 1984.
- [109] Shuttleworth, B., "A Documentary of MFENet, a National Computer Network", UCRL-52317, Lawrence Livermore Labs, Livermore, California, June 1977.
- [110] Silverman, S., "Output Marking Telnet Option", RFC 933, MITRE, January 1985.
- [111] Skelton, A., S. Holmgren, and D. Wood, "The MITRE Cablenet Project", IEN 96, April 1979.
- [112] Sollins, K., "The TFTP Protocol (Revision 2)", RFC 783, MIT/LCS, June 1981.
- [113] Solomon, M., L. Landweber, and D. Neuhengen, "The CSNET Name Server", Computer Networks, v.6, n.3, pp. 161-172, July 1982.
- [114] Solomon, M., and E. Wimmers, "Telnet Terminal Type Option", RFC 930, Supersedes RFC 884, University of Wisconsin, Madison, January 1985.
- [115] Sproull, R., and E. Thomas, "A Networks Graphics Protocol", NIC 24308, August 1974.
- [116] StJohns, M., "Authentication Service", RFC 931, TPSC, January 1985.

- [117] Tappan, D. C., "The CRONUS Virtual Local Network", RFC 824, Bolt Beranek and Newman, August 1982.
- [118] Taylor, J., "ERPC Functional Specification", Version 1.04, HYDRA Computer Systems, Inc., July 1984.
- [119] "The Ethernet, a Local Area Network: Data Link Layer and Physical Layer Specification", AA-K759B-TK, Digital Equipment Corporation, Maynard, MA.
- [120] "The Ethernet - A Local Area Network", Version 1.0, Digital Equipment Corporation, Intel Corporation, Xerox Corporation, September 1980.
- [121] "The Ethernet, A Local Area Network: Data Link Layer and Physical Layer Specifications", Digital, Intel and Xerox, November 1982.
- [122] The High Level Protocol Group, "A Network Independent File Transfer Protocol", INWG Protocol Note 86, December 1977.
- [123] Tovar, "Telnet Extended ASCII Option", RFC 698, Stanford University-AI, July 1975.
- [124] Uttal, J, J. Rothschild, and C. Kline, "Transparent Integration of UNIX and MS-DOS", Locus Computing Corporation.
- [125] Velten, D., R. Hinden, and J. Sax, "Reliable Data Protocol", RFC 908, BBN Communications Corporation, July 1984.
- [126] Whelan, D., "The Caltech Computer Science Department Network", 5052:D F:82, Caltech Computer Science Department, 1892.
- [127] Winston, I., "Two Methods for the Transmission of IP Datagrams Over IEEE 802.3 Networks", RFC 948, University Of Pennsylvania, June 1985.
- [128] XEROX, "The Ethernet, A Local Area Network: Data Link Layer and Physical Layer Specification", X3T51/80-50, Xerox Corporation, Stamford, CT., October 1980.
- [129] XEROX, "Internet Transport Protocols", XSI 028112, Xerox Corporation, Stamford, Connecticut, December 1981.

PEOPLE

[AB13]	Alison Brown	CORNELL	alison@CORNELL.ARPA
[AB20]	Art Berggreen	ACC	ART@ACC.ARPA
[AD22]	Arlene DesJardins	CIT	arlene@CIT-20.ARPA
[AG22]	Alfred Ganz	YALE	GANZ@YALE.ARPA
[AGM]	Andy Malis	BBN	Malis@BBNCCS.ARPA
[AKC]	Albert Cheng	UIUC	acheng@UIUC.ARPA
[AL6]	Alexis Layton	CCA	alex@CCA-UNIX.ARPA
[AP]	Alan Parker	NRL	parker@NRL-CSS.ARPA
[AV]	Al Vezza	MIT	AV@MIT-XX.ARPA
[AW34]	Albert Wong	NPS	AWong@NPS-CS.ARPA
[AXG]	Atul Garg	HP	---none---
[AXH]	Arthur Hartwig	UQNET	---none---
[AY5]	Akiharu Yasuda	DODIIS	dia@PAXRV-NES.ARPA
[BA4]	Brian Anderson	BBN	baanders@BBNCCQ.ARPA
[BANDY]	Andrew S. Beals	LLNL	bandy@LLL-CRG.ARPA
[BC14]	Robert Cattani	COLUMBIA	Cattani@COLUMBIA-20.ARPA
[BG5]	Bob Gilligan	SRI	Gilligan@SRI-SPAM.ARPA
[BG25]	Bryan L. Gorman	SRI	GORMAN@SRI-SPAM.ARPA
[BIM]	Benson I. Margulies	HONEYWELL	Margulies@CISL.ARPA
[BJL5]	Barry J. Lustig	UCLA	barry@LOCUS.UCLA.EDU
[BJN1]	Bruce Nemnich	TMC	BJN@THINK.ARPA
[BN4]	Bill Nowicki	SUN	Nowicki@SU-GLACIER.ARPA
[BN7]	Bich T. Nguyen	SRI	btn@SRI-TSC.ARPA
[BN9]	Bill Nesheim	CORNELL	bill@CORNELL.ARPA
[BP17]	Bobbi Phillips	SRI	bobbi@SRI-TSC.ARPA
[BSW]	Barbara Seber-Wagner	MITRE	bns@MITRE-BEDFORD.ARPA
[BXA]	Bobby W. Allen	YPG	WYMER@OFFICE.ARPA
[BXD]	Brian Down	TORONTO	bdown%TORONTO@CSNET-RELAY.ARPA
[BXG]	Barry Lustig	UCLA	BARRY@LOCUS.UCLA.EDU
[BXL]	Barry Greenberg	LOCUS	---none---
[BXM]	Bill Mitchell	U OF ARIZ	---none---
[CAK]	Chris Kent	PURDUE	CAK@PURDUE.EDU
[CAS]	Carl Sunshine	SDC	Sunshine@USC-ISIB.ARPA
[CBD]	Clive B. Dawson	MCC	Clive@MCC.ARPA
[CBP]	Brian Pinkerton	WISCONSON	Brian@WISC-RSCH.ARPA
[CJC3]	Chase Cotton	UDEL	Cotton@UDEL-EE.ARPA
[CH2]	Charles Hornig	SYMBOLICS	CAH@MIT-MC.ARPA
[CJW2]	Cliff Weinstein	LL	cjw@LL-SST.ARPA
[CLH3]	Charles Hedrick	RUTGERS	Hedrick@RUTGERS.EDU
[CMR]	Craig Rogers	ISI	Rogers@USC-ISIB.ARPA
[CP10]	Craig Partridge	BBN	craig@BBN-UNIX.ARPA
[CXH]	Chien Y. Huang	PRINCETON	6026959%PUCC.BINET@WISCVM.ARPA
[CXL]	Clifford A. Lynch	BERKELEY	udcla%ucbtopaz.cc@UCBARPA.BERKELEY.EDU
[DAM1]	David A. Mosher	BERKELEY	Mosher@UCBARPA.BERKELEY.EDU

[DAVE]	David Roode	IntelliCorp	Roode@SUMEX-AIM.ARPA
[DBJ]	David B. Johnson	DRILLTECH	DBJ@RICE.ARPA
[DCP1]	David Plummer	MIT	DCP@SYMBOLICS.ARPA
[DDC1]	David Clark	MIT	DClark@BBN-UNIX.ARPA
[DT15]	Dan Tappan	BBN	Tappan@BBNG.ARPA
[DG28]	David L. Gehrt	RIACS	Dave@RIACS.ARPA
[DH17]	Douglas Hirsch	BBN	hirsch@BBNCCS.ARPA
[DHH]	Doug Hunt	BBN	DHunt@BBNCCJ.ARPA
[DJF]	David J. Farber	UDEL	Farber@UDEL-EE.ARPA
[DJV1]	Darrel J. Van Buer	SDC	vanbuer@USC-ECL.ARPA
[DK2]	Dean B. Krafft	CORNELL	Dean@CORNELL.ARPA
[DLM1]	David Mills	LINKABIT	Mills@USC-ISID.ARPA
[DPR]	David Reed	MIT-LCS	Reed@MIT-MULTICS.ARPA
[DRP]	Don Provan	LLNL	Provan@LLL-MFE.ARPA
[DRS4]	Dennis R. Smith	USC	Smith@USC-ECLC.ARPA
[DSW]	Dan Whelan	CALTECH	Dan@CIT-20.ARPA
[DVC]	Don Cone	SRI	CONE@SRI-SPAM.ARPA
[DXB]	David Bloom	RUTGERS	andromeda!bloom@RUTGERS.EDU
[DXD]	Dennis J.W. Dube	VIA SYSTEMS	---none---
[DXG]	David Goldberg	SMI	sun!dg@UCBARPA.BERKELEY.EDU
[DXS]	Don Scelza	PERQ	---none---
[DXT]	Dave Taylor	INFERENCE	---none---
[EAK1]	Earl Killian	LLL	EAK@S1-C.ARPA
[EBM]	Eliot Moss	MIT	EBM@MIT-XX.ARPA
[EC5]	Ed Cain	DCEC	cain@EDN-UNIX.ARPA
[EF5]	Ed Franceschini	NYU	Franceschini@NYU.ARPA
[EHP]	Ed Perry	SRI	Perry@SRI-KL.ARPA
[EXY]	Elaine Yamin	ATT	---none---
[FAS]	Fred Segovich	GSWD	fred@GSWD-VMS.ARPA
[FLM2]	F. Lee Maybaum	MILNET	Maybaum@DDN1.ARPA
[FRAN]	Francine Perillo	SRI	Perillo@SRI-NIC.ARPA
[FXS]	Frank Solensky	PRIME	---none---
[GEOF]	Geoff Goodfellow	SRI	Geoff@SRI-CSL.ARPA
[GAA]	Glenn A. Adams, Jr.	MIT/LL	glenn@LL-XN.ARPA
[GC]	Graham Campbell	BNL	gc@BNL.ARPA
[GH29]	Gregory Hidley	UCSD	hidley@UCSD.ARPA
[GIH]	Glenn I. Hastie II	SRI	Hastie@SRI-SPAM.ARPA
[GLH5]	Gavin L. Hamphill	DREA	Hemphill@DREA-XX.ARPA
[GP10]	George Pavel	LLNL	liaison@LLL-TIS.ARPA
[GW22]	Grant Weiler	UTAH	Weiler@UTAH-20.ARPA
[GXL]	Guillermo A. Loyola	IBM	Loyola%ibm-sj@CSNET-RELAY.ARPA
[GXP]	Gill Pratt	MIT	gill%mit-ccc@MIT-MC.ARPA
[HCF2]	Harry Forsdick	BBN	Forsdick@BBNA.ARPA
[HDC1]	Horst Clausen	DFVLR	Clausen@USC-ISID.ARPA
[HDW2]	Howard Wactlar	CMU	Wactlar@CMU-CS-A.ARPA
[HGM]	Hallam Murray	XEROX	Murray.PA@XEROX.ARPA
[HM]	Hank Magnuski	---	JOSE@XEROX.PA.ARPA
[HWB]	Hans-Werner Braun	MICHIGAN	HWB@UMICH1.ARPA

[JA1]	Jules P. Aronson	NLM	Aronson@NLM-MCS.ARPA
[JAG3]	Jeff Gumpf	CWRU	G.Gumpf@COLUMBIA-20.ARPA
[JAKE]	Jake Feinler	SRI	Feinler@SRI-NIC.ARPA
[JAR4]	Jim Rees	WASHINGTON	JIM@WASHINGTON.ARPA
[JBP]	Jon Postel	ISI	Postel@USC-ISIB.ARPA
[JBW1]	Joseph Walters, Jr.	BBN	JWalters@BBNCCX.ARPA
[JC11]	Jim Clifford	LANL	jrc@LANL.ARPA
[JCN2]	John C. Nunn	NBS	NUNN@NBS-VMS.ARPA
[JD21]	Jonathan Dreyer	BBN	JDreyer@BBNCCV.ARPA
[JDG]	Jim Guyton	RAND	guyton@RAND-UNIX.ARPA
[JEM]	Jim Mathis	SRI	Mathis@SRI-KL.ARPA
[JFH2]	Jack Haverty	BBN	Haverty@BBNCCV.ARPA
[JFW]	Jon F. Wilkes	STC	Wilkes@STC.ARPA
[JGH]	Jim Herman	BBN	Herman@BBNCCJ.ARPA
[JG46]	Jonathan Goodman	YALE	Goodman@YALE.ARPA
[JKR1]	Joyce K. Reynolds	ISI	JKREYNOLDS@USC-ISIB.ARPA
[JL15]	Jay Lepreau	UTAH	Lepreau@UTAH-CS.ARPA
[JLM23]	John L. Mills	HONEYWELL	Mills@CISL-SERVICE-MULTICS.ARPA
[JO5]	John O'Donnell	YALE	ODonnell@YALE.ARPA
[JR15]	John Rhodes	LOGNET	JRhodes@LOGNET2.ARPA
[JR17]	John L. Robinson	CANADA	Robinson@DMC-CRC.ARPA
[JRM1]	John Mullen	MITRE	Mullen@MITRE.ARPA
[JRS8]	Jeffrey R. Schwab	PURDUE	jrs@PURDUE.EDU
[JS38]	Joseph Sventek	LBL	JSSventek@LBL.ARPA
[JSG5]	Jon Goodridge	BBN	jsg@BBNCCM.ARPA
[JSQ1]	John S. Quarterman	UT	jsq@UT-SALLY.ARPA
[JW1]	Jill Westcott	BBN	Westcott@BBNA.ARPA
[JWF]	Jim Forgie	LL	jwf@LL-EN.ARPA
[JWO1]	James W. O'Toole	UMD	james@MARYLAND.ARPA
[JXB]	John Blair	NEOCM	
		cbosgd!neoucom!johnb@UCBARPA.BERKELEY.EDU	
[JXD]	Jean Darling	WISC-MADI	Darling@UWISC.ARPA
[JXJ]	Jackie Jones	NBS	----none----
[JXO]	Jack O'Neil	ENCORE	----none----
[JXS]	J. Simonetti	SUNY	joes@SBCS.ARPA
[JXY]	Joe Yancone	USARMY	Yancone@CRDC.ARPA
[KCS1]	Kevin C. Smallwood	PURDUE	kcs@PURDUE.EDU
[KFD]	Ken Dove	AIDS	kfd@AID-UNIX.ARPA
[KLH]	Ken Harrenstien	SRI	KLH@SRI-NIC.ARPA
[KMC3]	Kenneth M. Crepea	SRI	Crepea@SRI-SPAM.ARPA
[KO11]	Kevin O'Keefe	HAZELTINE	Hazeltine@USC-ISI.ARPA
[KRS]	Karen Sollins	MIT	Sollins@MIT-XX.ARPA
[KTP]	Kenneth T. Pograd	BBN	Pograd@BBNBBNCCQ.ARPA
[KWP]	Kevin W. Paetzold	DEC	Paetzold@DEC-MARLBORO.ARPA
[KXC]	Ken Chen	Perceptronics	----none----
[KXS]	Kathy Simpson	OSU	----none----
[LB3]	Len Bosack	STANFORD	Bosack@SU-SCORE.ARPA

[LB16]	Liudvikas Bukys	ROCHESTER	Bukys@ROCHESTER.ARPA
[LCN]	Lou Nelson	AEROSPACE	Lou@AEROSPACE.ARPA
[LCS]	Lou Schreier	SRI	Schreier@USC-ISID.ARPA
[LH2]	Lincoln Hu	COLUMBIA	Hu@COLUMBIA-20.ARPA
[LOU]	Lou Salkind	NYU	Salkind@NYU.ARPA
[LM8]	Liza Martin	MIT-LCS	Martin@MIT-XX.ARPA
[LRB]	Larry Bierma	NPRDC	Bierma@NPRDC.ARPA
[LWR]	Larry Robinson	LLNL	lwr@S1-C.ARPA
[LXL]	Len Lattanzi	SENTRY	----none----
[MA]	Mike Accetta	CMU	MIKE.ACETTA@CMU-CS-A.ARPA
[MAB4]	Mark Brown	USC	Mark@USC-ECLB.ARPA
[MAE]	Marc A. Elvy	HARVARD	elvy@HARVARD.EDU
[MBG]	Michael Greenwald	MIT-LCS	Greenwald@MIT-MULTICS.ARPA
[MB]	Michael Brescia	BBN	Brescia@BBNCCV.ARPA
[MB31]	Michael Bereschinsky	USARMY	Bereschinsky@USC-ISID.ARPA
[MCA1]	Mary C. Akers	FISG	MAkers@TPSC-T.ARPA
[MCSJ]	Mike StJohns	TPSC	StJohns@MIT-MULTICS.ARPA
[MDC]	Martin D. Connor	MIT AI	Marty@MIT-HTVAX.ARPA
[MF31]	Martin J. Fouts	NASA-AMES	fouts@AMES-NAS.ARPA
[MH12]	Mark Horton	ATT	mark@UCBARPA.BERKELEY.EDU
[MJM2]	Mike Muuss	BRL	Mike@BRL.ARPA
[MK17]	Mike Karels	BERKELEY	Karels@UCBARPA.BERKELEY.EDU
[MKL1]	Mark Lottor	MIT	MKL@SRI-NIC.ARPA
[MLC]	Mike Corrigan	DDN	Corrigan@DDN1.ARPA
[MO2]	Michael O'Brien	RAND	OBrien@RAND-UNIX.ARPA
[MO14]	Michele Olivant	JHU	Olivant@HAWAII-EMH.ARPA
[MRC]	Mark Crispin	STANFORD	Admin.MRC@SU-SCORE.ARPA
[MS9]	Martin Schoffstall	RPI	schoff%rpi@CSNET-RELAY.ARPA
[MS56]	Marvin Solomon	WISC	Solomon@UWISC.ARPA
[MSM1]	Milo S. Medin	AMES	medin@AMES.ARPA
[MTR]	Marshall Rose	IRVINE	MRose.UCI@RAND-RELAY.ARPA
[MXA]	Melanie Anderson	UIUC	Melanie%UIUCVMD.BITNET@WISCVM.ARPA
[MXA1]	M. Aziza	INRIA	----none----
[MXG]	Mike Gilbert	SLI	Software-Leverage@USC-ECLB.ARPA
[MXH]	Martin Hayman	Symbolics	----none----
[MXK]	Michael Kazar	CMU	Mike.Kazar@CMU-CS-K.ARPA
[MXM]	Marc M. Meilleur	COINS	COINS@USC-ISI.ARPA
[MXP]	Michael K. Peterson	HUGHES	scgvaxd!mkp@CIT-VAX.ARPA
[MXP1]	Mark C. Powers	NSWC	mpowers@NSWC-G.ARPA
[MXR]	Mark A. Rosenstein	MIT	mar@MIT-BORAX.ARPA
[MXS]	Marc Shapiro	INRIA	Marc.Shapiro@C.CS.CMU.EDU
[NC3]	J. Noel Chiappa	MIT	JNC@MIT-XX.ARPA
[NG]	Neil Gower	ROCKWELL	GOWER@USC-ISID.ARPA
[NMM]	Mike Minnich	UDELEE	MMinnich@UDEL-HUEY.ARPA
[NXH]	Nat Howard	IM	nrh@DDN1.ARPA
[NXK]	Neil Katin	HP	hpda.neil@UCBARPA.BERKELEY.EDU
[PA5]	Philip Almquist	STANFORD	Almquist@SU-SCORE.ARPA
[PAM6]	Paul McNabb	RICE	pam@PURDUE.EDU

[PFS2]	Paul Sass	CECOM	Sass@USC-ISID.ARPA
[PGM]	Paul G. Milazzo	RICE	Milazzo@RICE.ARPA
[PHD1]	Pieter Ditmars	BBN	pditmars@BBNCCX.ARPA
[PK]	Peter Kirstein	UCL	Kirstein@USC-ISI.ARPA
[PK28]	Philip R. Karn, Jr.	BCR	Karn@BELLCORE-CS-GW.ARPA
[PL4]	Phil Lapsley	BERKELEY	phil@UCBARPA.BERKELEY.EDU
[PM1]	Paul Mockapetris	ISI	Mockapetris@USC-ISIB.ARPA
[PM4]	Paul Martin	SRI	PMartin@SRI-AI.ARPA
[PS27]	Paal Spilling	NTA	Spilling@USC-ISID.ARPA
[PXA]	Phillip G. Apley	BITSTREAM	PGA@MIT-OZ.ARPA
[PXB]	Pat Boyle	UBC	boyle.ubc@CSNET-RELAY.ARPA
[PXD]	Pete Delaney	ECRC	pete%ecrcvax@CSNET-RELAY.ARPA
[PXM]	Pat Marques	NSRDC	marques@DTRC.ARPA
[PXN]	Peter Nellesen	SIEMENS	crtvax!pn@CMU-CS-SPICE.ARPA
[RA11]	Rick Adams	CCI	Rick@SEISMO.CSS.GOV
[RA17]	Bob Albrightson	WASHINGTON	BOB@WASHINGTON.ARPA
[RB9]	Richard Bisbey	ISI	Bisbey@USC-ISIB.ARPA
[RBN1]	Ronald Natalie, Jr.	BRL	ron@BRL-TGR.ARPA
[RBW]	Richard B. Wales	UCLA	WALES@LOCUS.UCLA.EDU
[RHC3]	Robert Cole	UCL	robert@UCL-CS.ARPA
[RC77]	Robert Carey	YALE	CAREY@YALE.ARPA
[RDB2]	Robert Bressler	BBN	Bressler@BBNCCW.ARPA
[RDR4]	Dennis Rockwell	BBN	DRockwell@CSNET-SH.ARPA
[RFD1]	Robert F. Donnelly	ARDC	donnelly@ARDC.ARPA
[RG12]	Roger L. Gulbranson	UMINN	ROGERG@UMN-UCC-VA.ARPA
[RH6]	Robert Hinden	BBN	Hinden@BBN-CCV.ARPA
[RH60]	Roger Hale	MIT	Roger@LL-SST.ARPA
[RHC3]	Robert Cole	UCL	Robert@USC-CS.ARPA
[RHT]	Robert Thomas	BBN	BThomas@BBNF.ARPA
[RKJ2]	Richard Johnsson	DEC	johnsson@DECWRL.ARPA
[RL2]	Randy C. Lee	HONEYWELL	RCLee@HI-MULTICS.ARPA
[RLB3]	Ronald L. Broersma	NOSC	Ron@NOSC.ARPA
[RLH2]	Ronald L. Hartung	NSWC	ron@NSWC-WO.ARPA
[RLS6]	Ronald L. Smith	COINS	COINS@USC-ISI.ARPA
[RM8]	Roy Marantz	RUTGERS	Marantz@RUTGERS.EDU
[RN6]	Rudy Nedved	CMU	Rudy.Nedved@CMU-CS-A.ARPA
[RNM1]	Neil MacKenzie	RSRE	CLE%RSRE@UCL-CS.ARPA
[RR2]	Raleigh Romine	TELEDYNE	romine@SEISMO.CSS.GOV
[RR18]	Ron Reisor	UDEL	ron@UDEL-EE.ARPA
[RR26]	William R. Reilly	USARMY	RREILLY@JPL-MILVAX.ARPA
[RS23]	Russel Sandberg	WISC	root@UWISC.ARPA
[RSM1]	Robert S. Miles	NRTC	RSM@BRL.ARPA
[RTB3]	Bob Braden	UCLA	Braden@UCLA-CCN.ARPA
[RWS4]	Robert W. Scheifler	ARGUS	RWS@MIT-XX.ARPA
[RXB]	Rafael Bracho	SPAR	RXB@SRI-KL.ARPA
[RXB1]	Randolph Bentson	CSU	Bentson%ColoState@CSNET-RELAY.ARPA
[RXG]	Richard Gopstein	RCA	Gopstein@RUTGERS.EDU

[RXJ]	Ronald Johnson	APPLE	rlj@apple@CSNET-RELAY.ARPA
[RXM]	Robert Myhill	BBN	Myhill@BBNCCS.ARPA
[SA1]	Sten Andler	ARPA	andler.ibm-sj@RAND-RELAY.ARPA
[SA2]	Saul Amarel	ARPA	Amarel@USC-ISI.ARPA
[SC3]	Steve Casner	ISI	Casner@USC-ISIB.ARPA
[SGC]	Steve Chipman	BBN	Chipman@BBNF.ARPA
[SHB]	Steven Blumenthal	BBN	BLUMENTHAL@BBN-VAX.ARPA
[SK8]	Steve Kille	UCL	Steve@UCL-CS.ARPA
[SM6]	Sean McLinden	DSL	McLinden@RUTGERS.EDU
[SMF]	Steven M. Feldman	TYMNET	
			ARPAVAX.feldman@UCBARPA.BERKELEY.EDU
[SXA]	Skip Addison	GATECH	
			Skip!gatech.csnet@CSNET-RELAY.ARPA
[SXB]	Steve Byrne	TARTAN	Byrne@CMU-CS-C.ARPA
[SB28]	Scott Bradner	HARVARD	sob@HARVARD.EDU
[SXF]	Steve Fogel	MTCS	
			SFogel!mtcs!mtxinu@UCBARPA.BERKELEY.EDU
[SXM]	Scott Marcus	SPARTACUS	---none---
[SXM1]	Scooter Morris	GENENTECH	scooter@UCSF-CGL.ARPA
[SXS]	Steve Silverman	MITRE	Blankert@MITRE-GATEWAY.ARPA
[TBS]	Claude S. Steffey	WSMR	csteffey@WSMRCAS1.ARPA
[TC4]	Tony Cincotta	DTNSRDC	tony@NALCON.ARPA
[TF6]	Thomas Ferrin	UCSF	Ferrin@UCSF-CGL.ARPA
[THD]	Thomas Dunigan	ORNL	dunigan@ORNL-MSR.ARPA
[TML]	T. Michael Loudon	MITRE	Loudon@MITRE-GW.ARPA
[TW11]	Tom Wadlow	LLL	TAW@S1-C.ARPA
[TXB]	Ted Baker	FSU	baker@WASHINGTON.ARPA
[TXM]	Trudy Miller	ACC	Trudy@ACC.ARPA
[TXN]	Todd Nugent	U CHICAGO	Nugent@ANL-MCS.ARPA
[UXB]	Ulf Bilting	CHALMERS	bilting@PURDUE.EDU
[WDL]	Walter Lazear	MITRE	Lazear@MITRE.ARPA
[WG]	Wayne Graves	LBL	WLGraves@LBL.ARPA
[WF3]	William E. Fink	NRLRCD	bill@NRL.ARPA
[WIM]	William Macgregor	BBN	macg@BBN.ARPA
[WJC2]	Bill Croft	STANFORD	Croft@SUMEX-AIM.ARPA
[WPJ]	William Jones	USRA	Jones@AMES-VMSB.ARPA
[WW2]	Wally Wedel	NBI	wedel@UT-NGP.ARPA
[WWS]	Bill Seemuller	USARMY	bill@ETL.ARPA
[WXL]	William Lampeter	UR	bill@ROCHESTER.ARPA
[ZSU]	Zaw-Sing Su	SRI	ZSu@SRI-TSC.ARPA

APPENDIX A

Network Numbers

The network numbers in class A, B, and C network addresses are allocated among Research, Defense, Government (Non-Defense) and Commercial uses.

Class A (highest-order bit 0)

Research allocation:	8
Defense allocation:	24
Government allocation:	24
Commercial allocation:	94
Reserved Addresses: (0, 127)	
Total	128

Class B (highest-order bits 1-0)

Research allocation:	1024
Defense allocation:	3072
Government allocation:	3072
Commercial allocation:	12286
Reserved Addresses: (0, 16383)	
Total	16384

Class C (highest-order bits 1-1-0)

Research allocation:	65536
Defense allocation:	458725
Government allocation:	458725
Commercial allocation:	1572862
Reserved Addresses: (0, 2097151)	
Total	2097152

Class D (highest-order bits 1-1-1)

All addresses in this class are reserved for future use.

Within the Research community, network identifiers will only be granted to applicants who show evidence that they are acquiring standard Bolt Beranek and Newman gateway software or have implemented or are acquiring a gateway meeting the Exterior Gateway Protocol requirements. Acquisition of the Berkeley BSD 4.2 UNIX software might be considered evidence of the latter.

Experimental networks which later become operational need not be renumbered. Rather, the identifiers could be moved from Research to Defense, Government or Commercial status. Thus, network identifiers may change state among Research, Defense, Government and Commercial, but the number of identifiers allocated to each use must remain within the limits indicated above. To make possible this fluid assignment, the network identifier spaces are not allocated by simple partition, but rather by specific assignment.

Protocol Identifiers

These assignments are shared by the four communities.

Port Numbers

These assignments are shared by the four communities.

ARPANET Link Numbers

These assignments are shared by the four communities.

IP Version Numbers

These assignments are shared by the four communities.

TCP, IP and Telnet Option Identifiers

These assignments are shared by the four communities.

Implementation:

Joyce Reynolds is the coordinator for all number assignments.

